

[BACK CONTAINER PANEL CONT'D - DEXOL DEXA-KLOR PEST CONTROL]

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and foodstuffs. Keep children and pets off treated areas until spray mist has dried completely.

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on skin:** Remove contaminated clothing. Wash affected areas with plenty of soap and water. **If in eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

**ENVIRONMENTAL HAZARDS**


This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**NOTICE:** Buyer assumes all responsibility of safety not in accordance with directions.

DEXOL INDUSTRIES  
Torrance, CA 90501

EPA Reg. No. 192-150  
EPA Est. 192-CA-1





LIQUID 2 SEVIN®  
PLANT INSECTICIDE


FOR

- LAWNS ● ORNAMENTAL PLANTS
- FLOWERS ● SHRUBS
- SHADE TREES

KILLS

- CHINCH BUGS
- JAPANESE BEETLES
- MOSQUITOES

AND CERTAIN OTHER INSECTS



ACTIVE INGREDIENTS:	BY WEIGHT
Carbaryl (1-Naphthyl Methylcarbamate).....	21.5%
INERT INGREDIENTS:.....	78.5%
TOTAL.....	100.0%

Contains 2 pounds of Carbaryl per gallon

®Trademark of Union Carbide Corp. for active ingredient (1-Naphthyl Methylcarbamate)

EPA Reg. No. 904-208

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Call a physician or poison control center immediately. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.
- IF IN EYES: Immediately flush eyes with plenty of water. Call a physician.
- IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothes before reusing.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine administered intravenously is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Pratt-Gabriel Division  
MILLER CHEMICAL & FERTILIZER CORPORATION  
Hanover, Pennsylvania 17331

- NET CONTENTS: 8 OUNCES LIQUID
- 1 PINT LIQUID
- 1 QUART LIQUID
- 1 GALLON LIQUID

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Wear gloves and long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating or smoking. Do not contaminate food or feed. Avoid storage near food or feed products. Keep children and pets off treated areas until spray has dried. Food utensils such as teaspoons or tablespoons should not be used for food purposes after use in measuring pesticides.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. For protection of bees, avoid use during periods when honey bees are visiting crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Warn beekeepers to locate hives beyond bee flight range until one week after application or take equally effective precautions. Do not use in any manner not described on this label.

PROTECT FROM TEMPERATURES BELOW 32°F. CLOSE CONTAINER IMMEDIATELY AFTER USING TO PREVENT EVAPORATION OR DRYING. SHAKE WELL BEFORE USING. READ ENTIRE LABEL BEFORE USING--OBSERVE ALL CAUTIONS--USE ONLY AS DIRECTED.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. Do not reuse empty container.

FOR DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse empty container.

### DIRECTIONS

Subsequent planting of food and feed crops treated in soil must be made with crops on this or other carbaryl label (s).

LIQUID 2 SEVIN® is an extremely fine dispersion of Sevin in water. SHAKE WELL BEFORE USING. Pour recommended amount of material into nearly full spray tank or pre-mix material in another container half full of water and pour mixture into spray tank. Add balance of water. Agitate while mixing and using. Apply as a coarse wet spray to thoroughly cover all plant surfaces.

LAWNS: For Ants, Chinch Bugs, Earwigs, Fall Armyworms, Fleas, Leafhoppers, Sod Webworms (Lawn Moths) and Millipedes, apply 8 fl. oz. in 15-20 gals. of water evenly over each 500 sq. ft. of established lawn area. For best results, mow the lawn and apply immediately after rain or watering. Repeat in 2-3 weeks if necessary. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.