processing surfaces should be covered during treatment or thoroughly cleared before using. When using this product in these areas, apply only when facility is not in operation. Open cabinets and doors to expose spaces to be treated. Extinguish all flames, except pilot lights and release can at least 6 feet away from pilot lights. For best results leave treated space undisturbed for two hours or more. After treatment open doors and windows and allow to ventilate for 30 minutes.

AS A TOTAL RELEASE AEROSCL

pirections: Holding container upright and away from you tilt sprayhead until tip engages rim of valve mounting cup. Valve will remain in open position for total release of contents. Place in upright position in an elevated location (if possible) such as on stand or table. Place paper under can to protect surface immediately around area of release. Release the contents of this can for each 5,000 cubic feet of unobstructed space. The additional units for remote areas or where free flow of tig is not assured. Do not remain in room during treatment. Do not use as total release aerosol after using manually.

AS AN AEROSOL INSECTICIDE

To kill files, mosquitoes, gnats, wasps, flying moths. Direct spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average room. Keep nozzle three feet from surfaces. Keep room closed for 15 initiates.

To kill roaches, waterbugs, silverfish, crickets, ants: Spray baseboards, cracks, cravices, moist areas, and openings around sinks and pipes and other hiding places, hitting insects directly. Spray ant hills and ant trails around window frames and door sills and other locations. Repeat as necessary for control.

To kill fleas: Spray floor coverings and sleeping quarters of pets. Repeat as necessary.

CAUTION: HARMFUL IF SWALLOWED. Avoid breathing of fog. Avoid contact with eyes. Wash after handling. Avoid contamination of feed and food stuffs. Keep out of reach of children. WARNING: Contents under pressure. DO NOT puncture or incinerate container. DO NOT use or store above 120°F.

NOTICE: Buyer assumes all risks of use, storage or handling of this material lot in strict accordance with direction given herewith

B. G. PRATT DIV. GABRIEL CHEMICALS LTD.
PATERSON, N. J. 07509

\$1969 B.G.P. Co.



EXPUSED STAGES OF CEPTAIN INSECTS, INCLUDING MOSQUITOES, CHATS, FLICS, WASFS, FLEAS, CRICKETS, TICKS, ROACHES, ANTS, SILVERFISH, WATERBUGS

ACTIVE INGREDIENTS:	By	Weight 0.50%
Pyrethrins Technical Piperonyl Butoxide N-Octyl Bicyloheptene Dicarboximide		1.00%
Petroleum Distillates INERT INGREDIENTS:		11,82%
*Equivalent to 0.8% of (butylcarbity)	Total I	00,00%
educations to atold at landing.	_	

(6-propylpiperonyl) Ether and 0.2% of related compounds. E.P.A. Reg. No. 904-213

Contents Under Pressure
See side panel for additional CAUTIONS

NET WEIGHT: 5 OZ. AV.

ACCEPTED

ACCEPT