

PM 15 904-219
172



THIS PRODUCT MUST NOT BE USED
ON GOLF COURSES OR SOD FARMS.

ACCEPTED
AUG 26 1988
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 904-219

DIAZINON[®] 50 WP

FOR INSECT CONTROL ON:
Shade Trees, Ornamentals, Flowers, Turf, Fruit,
Vegetables, and Field Crops

ACTIVE INGREDIENT	BY WEIGHT
Diazinon 0 0 Diethyl 0 (2 isopropyl 6 methyl 4 pyrimidinyl) phosphorothioate	50%
INERT INGREDIENTS	50%
	TOTAL 100%
EPA Reg No 904 219	EPA Est No 6720 FL 1
Diazinon — Trademark of CIBA GEIGY CORP.	

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

PRECAUCION AL USUARIO Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamnte TO THE USER If you cannot read English, do not use this product until the label has been fully explained to you

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. IF INHALED Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing. IF IN EYES Flush with plenty of water. Get medical attention if irritation develops.
NOTE TO PHYSICIAN If signs of cholinesterase inhibition are present, atropine by injection, is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS—WARNING: May be fatal if swallowed. May be absorbed through the skin. Do not breathe dust or spray mist. Do not get it in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go on to sprayed grass until spray has dried. Do not use in barns or dwellings.

ENVIRONMENTAL CAUTION: This product is toxic to fish, birds, and other wildlife. Bees feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by leaching of equipment or disposal of wastes. Apply this product only as specified on the label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop or nesting or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and next period of bee activity.

DIRECTIONS FOR USE: This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in the closed, original container in a locked area away from children and domestic animals. Store in a cool, dry place. Avoid excessive heat. Open container carefully. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag and application equipment. Then dispose of bag in a sanitary landfill or by incineration, if allowed by State Law and local authorities, by burning. If burned, stay out of smoke. Do not reuse container.

RE ENTRY AND ADDITIONAL APPLICATION RESTRICTION FOR AGRICULTURAL CROPS REQUIRING FARMWORKER HAND LABOR TASKS

Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. From two clothing items at least a hat or other suitable head covering, a long sleeved shirt, and long legged trousers or a coverall type garment with long sleeves and long pants covering the body, shoes and socks.

Because certain states may require more restrictive reentry intervals for agricultural crops treated with this product, consult your State Department of Agriculture for further information.

NOTE: The California Department of Agriculture has set a reentry interval for DIAZINON on citrus, grapes, peaches, and melons. If you are the grower between the time of application and the time a worker may enter the field to engage in any activity requiring protective clothing with the treated foliage, the reentry interval is 48 hours. For the purpose of this label, any pesticide application that is made to foliage of the crop and is available for use for a period of 48 hours is considered a reentry interval.

The following warning must be placed on the label of any crop to be treated with this product or any area about to be treated with this product: **Workers or other persons who are engaged in any activity requiring protective clothing must be excluded from the treated area until the spray has dried.** Avoid contact with treated areas until the spray has dried. To avoid contact with treated areas, workers or other persons should be excluded from the treated area until the spray has dried. For the purpose of this label, any pesticide application that is made to foliage of the crop and is available for use for a period of 48 hours is considered a reentry interval. For the purpose of this label, any pesticide application that is made to foliage of the crop and is available for use for a period of 48 hours is considered a reentry interval.

Manufactured For:
Pratt-Gabriel Division
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331
NET WEIGHT: 4 LBS.

10/2

