

G·B



NS-B WEED KILLER NON SELECTIVE

Handwritten notes:
1. Use only on
2. Do not use on
3. Do not use on
4. Do not use on

6.2
83.0%
10.8
100%

WARNING


REGISTERED TRADEMARK OF GARDNER BROS. CO.
CINCINNATI, OHIO 45202

DIRECTIONS DO NOT USE ON LAWNS

Faint, mostly illegible text under DIRECTIONS


DIRECTIONS FOR USE

Faint, mostly illegible text under DIRECTIONS FOR USE





Contains UROX® *March 29, 1973*



467-269

ACTIVE INGREDIENTS:	By Weight
Monuron Trichloroacetate*	
3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate†	2.90%
Aromatic Petroleum Derivative	30.43%
Petroleum Distillate	62.00%
INERT INGREDIENTS	4.67%
TOTAL	100.00%

* Registered Trademark of Allied Chemical Corp. U.S. Patents No. 2,782,112 and 2,801,911.

† Equivalent to 0.2 lbs. Monuron Trichloroacetate per gallon.

EPA Reg. No. 904-209

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for additional CAUTIONS

B. G. PRATT DIVISION
GABRIEL CHEMICALS LTD. PATERSON, N. J. 07509

NET CONTENTS 5 GALLONS

DIRECTIONS FOR USE

FOR USE IN INDUSTRIAL PLANTS, LUMBER YARDS, TANK FARMS, STORAGE AREAS AND PARKING LOTS for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under ordinary conditions use at the rate of 3 gals. per 1000 sq. ft. Under conditions where the weeds are difficult to control, use at the rate of 6 gals. per 1000 sq. ft.

HOW TO APPLY: Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

CAUTION: KEEP OUT OF REACH OF CHILDREN

NOTE: DO NOT apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. DO NOT contaminate irrigation ditches or water used for domestic purposes. DO NOT allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

CAUTION: Harmful if swallowed. Irritating to skin and eyes. Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Keep container closed.

DESTROY CONTAINER WHEN EMPTY. Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

D.G.
O



SINCE 1904
**PRATT STOPS-WEEDS™
TWENTY-THREE
CONTAINS EPTAM**

GRANULES FOR WEED CONTROL IN
FLOWERS AND ORNAMENTALS

A selective herbicide for the control of all annual
grassy weeds and many annual broadleaf weeds in
certain trees, shrubs, ground covers and flowers.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Apply to the soil in the
spring or early summer.

Apply to the soil in the
fall or early winter.

Label 19

1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050

8