

183

PRATT METHOXY-DIAZINON 20-10 EC

For Control of Insects on Shade Trees, Ornamentals,
Flowers, Vegetables, Small Fruits, Alfalfa and Clover

ACTIVE INGREDIENTS:


Methoxychlor, Technical*.....	20.0%
Diazinon (O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.....	10.0%
INERT INGREDIENTS:.....	70.0%
TOTAL.....	100.0%

*Equivalent to 17.6% 2,2-bis (p-methoxyphenyl)- 1,1,1-trichloroethane and 2.4% related compounds.

Contains 1.6 lbs. Methoxychlor and 0.8 lbs. Diazinon per gallon. 904-221
Diazinon registered trademark of Ciba-Geigy Corp.

EPA Reg. No. 904-221

EPA Est. No. 72-PA-1



KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

This product contains Aromatic Petroleum Solvent. Methoxy-Diazinon 20-10 EC contains an organic phosphate and a chlorinated hydrocarbon. Poison symptoms will be related to both pesticides.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation develops or persists. IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing. Get medical attention if irritation develops or persists. IF SWALLOWED: DO NOT INDUCE VOMITING. Call a physician or Poison Control Center immediately. Do not give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. Give artificial respiration, if necessary, to maintain breathing. (Do not give mouth-to-mouth resuscitation if exposure is due to swallowing). Get medical attention. NOTE TO PHYSICIAN: Atropine is antidotal for organic phosphate poisoning and should be given intravenously in relatively large amounts, 2-4 mg. at 10 minute intervals until the patient is atropinized. 2-PAM may be used in severe cases. Give supportive therapy as needed. Lavage stomach if ingested. Solvent may present aspiration hazard.

PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET CONTENTS:	1 PINT	5 GALLONS
	1 QUART	30 GALLONS
	1 GALLON	55 GALLONS


BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

HARM TO HUMANS AND DOMESTIC ANIMALS-WARNING: Causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Handle concentrate in ventilated area. Keep children and pets off treated areas until dry. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur or when weather conditions favor drift. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. Cover bird baths and fish pools. This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



STORAGE AND DISPOSAL (8 OZ. THROUGH 1 GALLON)

Store this product in its original, closed container in a safe place away from children and domestic animals. Do not reuse empty container. For disposal, securely wrap closed original container in several layers of newspaper and discard in trash. Do not contaminate water, feed or food by storage or disposal.

STORAGE AND DISPOSAL (5 THROUGH 55 GALLONS)

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be incinerated or, if allowed by state and local authorities, burned. If burned, stay out of

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

FOLIAGE INSECTS

Apply 2 1/2 to 3 1/2 quarts per acre in sufficient water for thorough coverage. Repeat at 7 to 10 day intervals as infestation warrants. Do not treat during bloom to avoid injury to insects.

FORAGE INSECTS

ALFALFA AND CLOVER (PURE STANDS AND STANDS CONTAINING GRASS): Apply 2 1/2 to 3 1/2 quarts per acre in sufficient water for thorough coverage. Repeat at 7 to 10 day intervals as infestation warrants. Do not treat during bloom to avoid injury to insects.

SMALL FRUIT INSECTS

Apply 2 1/2 to 3 1/2 quarts per acre in sufficient water for thorough coverage. Repeat at 7 to 10 day intervals as infestation warrants. Do not treat during bloom to avoid injury to insects.

VEGETABLE INSECTS

For the control of the insects on the following crops, use 2 1/2 qts. per acre in sufficient water for thorough coverage. Begin treatment at first sign of insect infestation and repeat at 7 to 10 day intervals as infestation warrants.

AERIAL APPLICATION

Apply 2 1/2 to 3 1/2 quarts per acre in sufficient water for thorough coverage. Repeat at 7 to 10 day intervals as infestation warrants. Do not treat during bloom to avoid injury to insects.

LIMITED WARRANTY

UNDER NO CIRCUMSTANCES SHALL THE MANUFACTURER BE LIABLE FOR ANY DAMAGE TO PERSONS OR PROPERTY CAUSED BY THE USE OF THIS PESTICIDE.

ACCEPTED
904-221
MAY 3 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 904-221