

B  
G

**PRATT**

SINCE 1904  
TM

# NA WEED KILLER

## NON-SELECTIVE

One quart in 2  
gallons of water  
covers 250 sq. ft.

- KILLS MOST VEGETATION
- PREVENTS REGROWTH WHEN USED AS DIRECTED

ACTIVE INGREDIENTS	By Weight
Prometon: 2,4-bis (isopropylamino) 6-methoxy-s-triazine*	3.5%
Isooctyl Ester of 2,4-dichloro- phenoxyacetic Acid**	1.5%
INERT INGREDIENTS:	95.0%
TOTAL	100.0%

\*\*Equivalent to 2,4-dichlorophenoxyacetic Acid 1.0%  
\*Pramitol® Trademark of CIBA-GEIGY CORP.  
U.S. Patent 2,909,420  
EPA Reg. No. 904-225

### CAUTION: KEEP OUT OF REACH OF CHILDREN

See back panel for additional CAUTIONS

NET CONTENTS: 1 QUART

PRATT NA WEED KILLER is for non-selective weed and grass control in Driveways, Patios, along Fence Rows and Industrial Sites where a weed-free soil surface is desired. This product kills most young weeds and grasses on contact and deposits a chemical residue on the soil. This residue controls annual weeds and grass seedlings from germinating during the entire growing season. Contact activity will be apparent in a few days. Final kill by root penetration may take from 2 to 3 weeks.

### DIRECTIONS FOR USE

For best results apply in early spring before weeds germinate. If weeds have germinated, apply before they are 4 inches tall. During seasons of unusually high rainfall second application may be necessary.

For Walks, Driveways, Patios, Tennis Courts and Graveled Areas: Mix 1 quart NA WEED KILLER with 2 gallons of water and apply over 250 sq. ft. Use a sprinkling can or sprayer to thoroughly wet all foliage.

For areas where heavy grass and weed growth is present in such as Fence Rows and Fire Lanes and where vegetation is more than 24 inches high: Mow or cut to 8 inch height before applying. Apply 1 quart in 5 to 8 gallons of water per 250 sq. ft. To control deep rooted perennial weeds such as Milkweed and Canada Thistle a second application in 2 to 3 months may be necessary.

**CLEANING EQUIPMENT:** Wash sprinkling can or sprayer thoroughly with household detergent and water immediately after use. Rinse well with clean water.

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of skin contact, wash thoroughly with soap and water. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs. Avoid contamination of waters used for domestic or irrigation purposes. Do not reuse empty container. Destroy by perforating and crushing and bury or discard in a safe place. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Do not use this product on lawns. Do not use close to desirable flower beds. Do not apply over root zones of valuable trees, shrubs or woody ornamental plants. Apply this material outside the drip line of trees and shrubs. Do not store near fertilizers, seeds, insecticides or fungicides. Avoid spray drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. (Coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**B. G. PRATT DIV., Gabriel Chemicals Ltd.**  
Paterson, N. J. 07509

LF-743-13532-5M-4-74

ACCEPTED

July 19, 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
EPA REG. NO. 904-225

EPA EST. 904-NJ-1

PROD. NO. 13532

B  
G

**PRATT**

SINCE 1904  
TM

# NA WEED KILLER

NON-SELECTIVE

- KILLS MOST VEGETATION
- PREVENTS REGROWTH WHEN USED AS DIRECTED

One quart in 2 gallons of water covers 250 sq. ft.

ACCEPTED

July 19, 1974

904-225

EPA EST. 904-225

PROD NO 13532

ACTIVE INGREDIENTS	By Weight
Prometon 2,4 bis Isopropylamine	3.5
6-methoxy-s-triazine	1.5
Isocetyl Ester of 2,4-dichlorophenoxyacetic Acid**	95.0
INERT INGREDIENTS	100.0
TOTAL	100.0

\*\*Equivalent to 2,4-dichlorophenoxyacetic Acid 1%  
 \*Prometon Trademark of CIBA GEIGY CORP.  
 U.S. Patent 2,909,420  
 EP - Reg. No. 904,225

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 1 QUART

PRATT NA WEED KILLER provides control in Driveways where a weed-free soil young weeds and grasses on the soil. This results from germinating during will be apparent in a take from 2 to 3 weeks.

DM

For best results apply where weeds have germinated seasons of unusually heavy

For Walks, Driveways, 1 quart NA WEED KILLER 250 sq. ft. Use a spray nozzle.

For areas where heavy weeds are 6 to 8 inches high: Mow or cut to 2 inches high. Apply 1 quart in 5 to 8 gallons of water. A second application in 2 weeks is recommended.

CLEANING EQUIPMENT with household detergent with clean water.

CAUTION: Keep out of reach of children. Avoid contact with skin. Wash thoroughly with soap and water. Avoid contamination of water used for domestic purposes. Destroy by incineration in a safe place. Do not contribute to the disposal of wastes. Apply to areas where weeds are present.

DO NOT USE, POUR, OR FLAME. Do not use on desirable flower beds, shrubs or woody ornamentals. Do not use near drip line of trees and shrubs. Do not use insecticides or fungicides. This product may injure certain plants. (Coarse sprays are less likely to injure susceptible plants.)

WARRANTY: Seller makes no warranty concerning the use of this product. Buyer assumes all risk of injury to plants from such use and/or handling.

B. G. PRATT



# WEED KILLER NON-SELECTIVE

**PREVENTS REGROWTH WHEN  
AS DIRECTED**

	By Weight
Propylamino	3.5%
dichloro-	1.5%
d	95.0%
<b>TOTAL</b>	<b>100.0%</b>

2,4-dichlorophenoxyacetic Acid 10%  
Trademark of CIBA GEIGY CORP  
U.S. Patent 2,909,420  
PA Reg No 904-225

**OUT OF REACH OF CHILDREN**  
See label for additional CAUTIONS

**CONTENTS: 1 QUART**

**PRATI NA WEED KILLER** is a non-selective weed and grass control on Driveways, Patios, along Fence Rows and Industrial Sites where a weed-free soil surface is desired. This product kills most young weeds and grasses on contact and deposits a chemical residue on the soil. This residue controls annual weeds and grass seedlings from germinating during the entire growing season. Contact activity will be apparent in a few days. Final kill by root proliferation may take from 2 to 3 weeks.

### DIRECTIONS FOR USE

For best results apply in early spring before weeds germinate. If weeds have germinated, apply before they are 4 inches tall. During seasons of unusually high rainfall, second application may be necessary.

For Walks, Driveways, Patios, Tennis Courts and Graveled Areas, Mix 1 quart PRATI NA WEED KILLER with 2 gallons of water and apply over 250 sq. ft. Use a sprinkling can or sprayer to thoroughly wet all foliage.

For areas where heavy grass and weed growth is present in such as Fence Rows and Fire Lines and where vegetation is more than 24 inches high, Mow or cut to 8 inch height before applying. Apply 1 quart in 5 to 8 gallons of water per 250 sq. ft. To control deep rooted perennial weeds such as Milkweed and Canada Thistle, a second application in 2 to 3 months may be necessary.

**CLEANING EQUIPMENT** Wash sprinkling can or sprayer thoroughly with household detergent and water immediately after use. Rinse well with clean water.

**CAUTION** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of skin contact, wash thoroughly with soap and water. Avoid breathing spray mist. Do not contaminate food and foodstuffs. Avoid contamination of water used for domestic or irrigation purposes. Do not reuse empty container. Destroy by perforating and crushing and bury or discard in a safe place. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Do not use this product in trays. Do not use close to susceptible flower beds. Do not apply over root zones of valuable trees, shrubs or costly ornamental plants. Apply this material outside the drip line of trees and shrubs. Do not store near fertilizers, seeds, insecticides or fungicides. Avoid spray drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. Always spray a protective layer to drift. Vapors from this product may injure susceptible plants in a neighboring vicinity.

**WARRANTY** This product is warranted to be effective as specified on the label. The user must follow the directions on the label. The user must apply the product to the soil surface of the material which is to be treated. The user must apply the product in a timely manner.

**R G P T I DIV., Gabriel Chemicals Ltd.**  
Lithgow, N. J. 07009

LF 743 13532 5M14-74