

WHITEFLY SPRAY

FOR INDOOR PLANTS & OUTDOOR ORNAMENTALS

CONTROLS WHITEFLIES & OTHER INSECTS AS NOTED ON BACK PANEL

This Product Does Not Contain Chlorofluorocarbons.

Contains Resmethrin (SBP-1382<sup>00</sup>) A Synthetic Pyrethroid

ACTIVE INGREDIENTS:	BY WEIGHT
*†•Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate.....	0.250%
Related Compounds.....	0.034%
Aromatic Petroleum Solvent.....	0.332%
INERT INGREDIENTS:.....	99.384%
TOTAL.....	100.000%

\*Cis/trans isomers ratio: max. 30% (+)cis and min. 70%(+)trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

•Penick's SBP-1382<sup>00</sup> brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

EPA Reg. No. 904-227

EPA Est. No. 11561-WV-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN


PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard. Do not give anything by mouth to an unconscious or convulsing person.
- IF INHALED: Remove victim to fresh air.
- IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.
- IF IN EYES: Flush with plenty of water. Get medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured For:  
 Pratt-Gabriel Division  
 MILLER CHEMICAL & FERTILIZER CORPORATION  
 Hanover, Pennsylvania 17331



NET WEIGHT: 12 OUNCES AV.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--May be harmful if swallowed or absorbed through the skin. Avoid inhalation of vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Wash hands before eating or smoking. Do not contaminate food or feed. Avoid storage near food or feed products. Do not use on humans or household pets. Do not use on edible crops. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in cool area away from heat and open flame. Store in tightly closed, original container in a locked area away from children and domestic animals. For Disposal, replace cap, and securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

GENERAL DIRECTIONS

SHAKE WELL BEFORE EACH USE. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS---TO PROTECT HOUSE PLANTS: To control aphids, exposed thrip, adult white flies, spray infested African violets, philodendron, geraniums, begonias, and coleus. Repeat application as necessary.

OUTDOORS---TO PROTECT ORNAMENTAL PLANTS: To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea; and mimosa webworm larva on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting as some varieties may develop leaf burn with heavy dosages. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be treated to control the above pests, but use with extreme caution. Repeat as necessary to obtain control.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

