

1062  
PM 17  
904-236



25-5 ULV

MOSQUITO ADULTICIDE CONCENTRATE

ACTIVE INGREDIENTS:	BY WEIGHT
Pyrethrins.....	5.0%
*Piperonyl Butoxide, Technical.....	25.0%
Petroleum Distillate.....	20.0%
Isoparaffinic Petroleum Hydrocarbons.....	50.0%
TOTAL.....	100.0%

\*Equivalent of 20% (Butylcarbityl) (6-propylpiperonyl) ether and 5% other related compounds.

EPA Reg. No. 904-236

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

NOTE TO PHYSICIAN: Empty stomach if material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.


IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Aspiration may be hazard. Do not give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing. Immediately wash affected area with soap and water. Launder clothing before reusing. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Manufactured By  
Pratt-Gabriel Division  
MILLER CHEMICAL & FERTILIZER CORPORATION  
Hanover, Pennsylvania 17331

NET CONTENTS:     GALLONS LIQUID  
1 5 30 55

ACCEPTED  
FEB 27 1987  
Use this product in accordance with the label directions. Do not use on ornamentals, for the purpose is restricted to use.  
EPA Reg. No. 904-236

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin and clothing. Avoid breathing vapors - spray mist. Wash thoroughly after handling. Wash hands, face and arms with soap and water before eating and smoking. Wear gloves and long-sleeved work clothing. Change to clean clothing daily. Wash all clothing with soap and water before reuse. Keep children and pets out of treated area until spray dries. Do not contaminate food or feed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD

Mix formulation well in drum before use. Keep container closed when not in use. Store in a cool, dry place.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container.

DIRECTIONS

This formulation is to be used in mosquito adulticiding programs. Treat shrubbery and vegetation around residential grounds, recreational areas, and industrial grounds where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, and ponds may also be treated. Applications of this product to any body of water is prohibited.

Best results are obtained by application when there is a slight breeze of 5 miles per hour or less. Fog with the breeze so that wind will carry fog from roads or paths into the area to be treated. Repeat applications as needed to obtain desired reduction in adult mosquito population.

PRATT 25-5 MOSQUITO ADULTICIDE CONCENTRATE is formulated to be used without further dilution in truck-mounted ULV cold aerosol generators which produce spray in which the majority of the droplets are 5 to 25 microns. The objective is to treat terrain with .002 to .0025 pounds of pyrethrins and .010 to .0125 pounds of piperonyl butoxide per acre. Fog this solution with a discharge rate of 2 to 2.25 fluid ounces per minute while machine is moving at 5 mph and pressure is set at 3 lbs. per sq. in. Discharge nozzle is positioned approximately 30° above horizontal off side of truck bed. Delivery rate and traveling speed can be varied slightly as long as the basic objective of .002 to .0025 pounds actual pyrethrins per acre is maintained. Use swath width of 300 feet for acreage calculations.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

