

[904-237]

DIRECTIONS FOR USE

General: This concentrate is designed for use undiluted in ULV aerosol or other hand-applied sprayers which deliver aerosol particle size 100 can be diluted 1 to 4 by weight with refined kerosenes or mineral oil which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size such as the Microsol or Challenger machines. It can also be diluted 1 to 19 with oil specified above and applied as a contact spray using a compressed air sprayer to kill crawling insects shown later on this label. Mix well in container before each use. Keep container closed and store in a cool place.

NOTE: This spray when diluted properly as described, and applied per the directions and cautions given below, conforms with Food Additive Regulations 121.1074, 121.075 and 121.1205 and the food additive tolerances established thereunder.

INDOOR USE:

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE: in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device or fogging equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects such as under pallets and around stacks of packaged goods, areas between equipment and floors, openings leading to voids and hollow spaces in the walls, equipment legs and bases, baseboard areas, corners, and around water pipes hitting as many insects as possible. For a ULV unit, apply 1 oz. to 1,000 cubic feet. For a mechanical fogger, use 1-2 oz. to 1,000 cubic feet. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM, CADPELLI, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGIOMYIDIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, AND INDIAN MEAL MOTH: IN FOOD WAREHOUSES, STORAGE ROOMS AND SIMILAR AREAS. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device or fogging equipment to direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. For a ULV unit, apply 1 oz. to 1,000 cubic feet. For a mechanical fogger, apply 1-2 oz. to 1,000 cubic feet. Then spray at the rate of 1 1/2 oz. of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested packaged foods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To Kill ROACHES, EARWIGS, SILVERFISH, ANTS AND SPIDERS: Apply in an aerosol generator, fogging equipment, or compressed air sprayer adjusted to deliver a coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Treat doors, around window frames and door frames. Contact as many insects as possible. Repeat treatment as necessary. Do not allow spray to contact stored food.

B.G.



FOGGING CONCENTRATE

For use in Homes, Restaurants, Food processing Plants, Warehouses, and Industrial Installations, Feedlots, Barns. For Use by Trained Personnel Only.

ACTIVE INGREDIENTS	BY WEIGHT
Pyrethrins	1.50%
*Piperonyl butoxide, technical	3.00%
+ N-octyl bicycloheptene dicarboximide	5.00%
Petroleum distillate	90.50%
TOTAL	100.00%

*Equivalent of 2.4% (butylcarbityl)(6-propylpiperonyl) ether and 60% related compounds
+ MGK 264, Insecticide Synergist

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

EPA Reg. No. 904-237

Manufactured by:
B.G. PRATT DIVISION
Gabriel Chemicals Ltd.
204 21st Avenue
Paterson, N.J. 07509

NET CONTENTS 1 5 30 55 GALLONS

OUTDOOR USE:

To Kill FLIES, MOSQUITOES AND GNATS in Open Areas and Feedlots. Use undiluted at a time when the temperature is cool (75° F or less) and the wind velocity is approximately 5 mph. With ULV aerosol equipment, spray at a dosage rate of 10 oz. per minute upwind of the area to be controlled.

If the equipment is truck-mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 100 feet. Machines that could be used should produce particles in the 5 to 30 micron range. The name of a company that determines droplet size will be supplied upon request.

CAUTION

Harmful if swallowed. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before smoking. Wash all contaminated clothing with soap and water before re-use.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.


Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL CAUTION

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not use empty drum. Return to drum reconditioner or destroy by perforating, or washing and burying in a safe place away from water supplies.

BUYER ASSUMES ALL RISKS OF USE, STORAGE, OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH



EPA Est
904-NJ-1