

FOGGING CONCENTRATE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS
(Statement For Sizes Over One Gallon)

For use in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations, Feedlots, Barns.

ACTIVE INGREDIENTS:	BY WEIGHT
Pyrethrins.. .. .	1.50%
*Piperonyl Butoxide, Technical.....	3.00%
+N-octyl bicycloheptene dicarboximide.....	5.00%
Isoparaffinic Petroleum Hydrocarbons.....	90.50%
TOTAL.....	100.00%

*Equivalent of 2.4% (butylcarbityl)(6-propylpiperonyl) ether and .60% related compounds.
+MGK-264, Insecticide Synergist

EPA Reg. No. 904-237

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION


CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT


- IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything to an unconscious or convulsing person.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Remove contaminated clothing. Immediately wash affected area with soap and water. Launder clothing before reusing. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
- NOTE TO PHYSICIAN: Empty stomach if material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Pratt-Gabriel Division
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET CONTENTS: GALLON LIQUID
GALLON LIQUID
GALLON LIQUID
GALLON LIQUID



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin and clothing. Avoid breathing vapors - spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly after handling. Wash hands, face and arms with soap and water before eating and smoking. Wear chemical resistant gloves and long-sleeved work clothing. Change to clean clothing daily. Wash all contaminated clothing with soap and hot water before reuse. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply to animals or human beings. Do not use in poultry houses. Remove pets, birds, and cover fish aquariums before spraying. Do not apply in a food processing plant while plant is in operation. When applied, in a food processing plant, remove or protect food during treatment. Facilities and equipment must be thoroughly washed with an acceptable detergent solution and then rinsed with potable water to remove all traces of contamination.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame. Keep container closed and store in a cool place.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers. Do not reuse empty container. Plastic containers may be incinerated or burned if allowed by state and local authorities. If burned, stay out of smoke. Do not reuse empty container.

DIRECTIONS

GENERAL: This concentrate is designed for use undiluted in ULV aerosol units (mechanical sprayers which deliver aerosol particle size.) It can be diluted 1 to 4 by volume with refined kerosene or mineral oil which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted as specified above and applied as a contact spray using a compressed air sprayer to kill crawling insects shown later on this label.

Shake well in container before each use.

NOTE: This spray when diluted properly as described, and applied per the directions and cautions given below, conforms with Food Additive Regulations 121.1074, 121.075 and 121.1205 and the food additive tolerances established thereunder.

INDOOR USE

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE: in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device or fogging equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects such as under pallets and around stacks of packaged goods, areas between equipment and floors, openings leading to voids and hollow spaces in the walls, equipment legs and bases, baseboard areas, corners, and around water pipes, hitting as many insects as possible. For a ULV unit, apply 1 oz. to 1,000 cubic feet. For a mechanical fogger, use 1-2 oz. to 1,000 cubic feet. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM, CADELLE, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, AND INDIAN MEAL MOTH: IN FOOD WAREHOUSES, STORAGE ROOMS AND SIMILAR AREAS. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device or fogging equipment to direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. For a ULV unit, apply 1 oz. to 1,000 cubic feet. For a mechanical fogger, apply 1-2 oz. to 1,000 cubic feet. Then spray at the rate of 1 fl. oz. of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested packaged foods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To Kill ROACHES, EARWIGS, SILVERFISH, ANTS, AND SPIDERS: Apply in an aerosol generator, fogging equipment, or compressed air sprayer adjusted to deliver a coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Treat doors, around window frames and ant trails. Contact as many insects as possible. Repeat treatment as necessary. Do not allow spray to contact stored food.

OUTDOOR USE

To Kill FLIES, MOSQUITOES AND GNATS in Open Areas and Feedlots Use undiluted at a time when the temperature is cool (75°F or less) and the wind velocity is approximately 5 MPH. With ULV aerosol equipment, spray at a dosage rate of 1/2 oz. per minute spread of the area to be treated.