ACCEPTED
SEP 19 1975
704-242

B.G. PRATT
SINCE 1904

B. G. PRATT DIVISION
GABRIEL CHEMICALS, LTD. • 204 Twenty-First Avenue • Paterson, New Jersey 07509
(201) 684-4797

704-242

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place away from water supplies. Return drums to drum reconditioners.

PHYSICAL HAZARD

Keep container closed. Do not use, pour, spill or store near heat or open flame.

DIRECTIONS
INDOOR SPRAY

FOR CONTROL OF FLIES, MOSQUITOES, AND GNATS in homes, hospitals, food establishments, farm buildings and warehouses: Close all windows and stop all ventilators. Pilot lights should be extinguished. In hospitals, patients should be removed from room prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy fallen insects.

B.G. PRATT
SINCE 1904

PROD. NO.

RESMETHRIN 3 INSECT SPRAY

FOR PROFESSIONAL HOUSEHOLD AND INDUSTRIAL USE BY TRAINED PERSONNEL ONLY

Contains Resmethrin (SPB-1382®)

A contact and space spray for control of flying insects in homes, hospitals, hotels, restaurants, schools, office buildings, dairies, meat packing plants, feed storage warehouses and similar establishments with electric mist spraying or fogging equipment.

ACTIVE INGREDIENTS
* + (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate 0.300%
Related Compounds 0.041%
Aromatic Petroleum Hydrocarbons 0.397%
Petroleum Distillate 99.250%
INERT INGREDIENTS 0.012%
100.000%

*Cis/Trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
+ U.S. Patent No. 3,465,007

SPB-1382® - Registered Trademark of S.B. Penick & Co., Inc.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional cautions

EPA Reg. No. 804-30 EPA Est. 804-NJ-1

B.G. Pratt Division
Gabriel Chemicals Ltd.
204 21st Avenue
Paterson, N.J. 07509

NET CONTENTS: ☐ 1 ☐ 5 ☐ 30 ☐ 55 GALLONS

CONTACT AND SPACE SPRAY - TO KILL COCKROACHES, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, AND SPIDERS IN SHELTERED SITUATIONS: Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath refrigerators and around pallets, and in moist areas around sinks and pipes. Apply to storage areas, baseboards, and the inside surfaces of boxcars and trucks at a rate of 1 gallon to 1,000 sq. ft..Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings, and junction or switch boxes. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Contact as many insects as possible. Then adjust sprayer to deliver aerosol size particles. Apply as a space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry.

Food should be removed or covered during treatment. Do not allow spray to contact stored foods. All food processing surfaces should be covered during treatment or cleaned thoroughly before reuse. When using this product in food processing areas, apply only when facilities are not in operation.

WASPS AND SPIDERS: Spray insects directly and apply heavy spray to nests and webs. The most effective wasp control is obtained by spraying after dark when all the insects have returned to the nest.

ANTS: Spray trails, nests and points of entry. Contact as many insects as possible. Repeat as necessary.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH THE DIRECTIONS GIVEN HEREWITH.