


1 of 3 # 904-242 PM17

KEEP FROM FREEZING.



RESMETHRIN 3 INSECT SPRAY

NEVER REACHABLE COPY

FOR PROFESSIONAL HOUSEHOLD AND INDUSTRIAL USE
BY TRAINED PERSONNEL ONLY

Contains Resmethrin (SBP-1382®)

A contact and space spray for control of flying insects in homes, hospitals, hotels, restaurants, schools, office buildings, dairies, meat packing plants, food storage warehouses and similar establishments with electric mist spraying or fogging equipment.

ACTIVE INGREDIENTS:	BY WEIGHT
*†Resmethrin[5-(phenylmethyl)-3-furanyllmethyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate.....	0.300%
Related Compounds.....	0.041%
Aromatic Petroleum Solvent.....	0.397%
Petroleum Distillate.....	99.250%
INERT INGREDIENTS:.....	0.012%
TOTAL.....	100.000%

*Cis/trans isomers ratio: max. 30% (+)cis and min. 70%(+)trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

•Penick's SBP-1382® brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

EPA Reg. No. 904-242

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.


IF INHALED: Remove victim to fresh air.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Pratt-Gabriel Division
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

ACC. ID
APR 23 1985
EPA Reg. No. 904-242

NET CONTENTS: 1 GALLON LIQUID
5 GALLONS LIQUID
30 GALLONS LIQUID
55 GALLONS LIQUID



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION--May be harmful if swallowed. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating and smoking. Wear gloves and long-sleeved work clothing. Wash all clothing with soap and water before reuse. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed. Do not use or store near heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in tightly closed, original container in a locked area away from children and domestic animals. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** (Metal Containers)-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (Plastic Containers)-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS

INDOOR SPRAY

FOR CONTROL OF FLIES, MOSQUITOES, AND GNATS in homes, hospitals, food establishments, farm buildings and warehouses. Close all windows and stop all ventilators. Pilot lights should be extinguished. In hospitals, patients should be removed from room prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy fallen insects.

BEST AVAILABLE COPY

CONTACT AND SPACE SPRAY - TO KILL COCKROACHES, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, AND SPIDERS IN SHELTERED SITUATIONS: Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath refrigerators and around pallets, and in moist areas around sinks and pipes. Apply to storage areas, baseboards, and the inside surfaces of boxcars and trucks at a rate of 1 gallon to 1,000 sq. ft. Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings, and junction or switch boxes. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Contact as many insects as possible. Then adjust sprayer to deliver aerosol size particles. Apply as a space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry.

Food should be removed or covered during treatment. Do not allow spray to contact stored foods. All food processing surfaces should be covered during treatment or cleaned thoroughly before reuse. When using this product in food processing areas, apply only when facilities are not in operation.

WASPS AND SPIDERS: Spray insects directly and apply heavy spray to nests and webs. The most effective wasp control is obtained by spraying after dark when all the insects have returned to the nest.

ANTS: Spray trails, nests and points of entry. Contact as many insects as possible. Repeat as necessary.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....