

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Do not contaminate food or feedstuffs.

FIRST AID: In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For pain and eyes, call a physician.

PHYSICAL HAZARDS

FLAMMABLE: Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. May cause bursting.

ACTIVE INGREDIENTS: BY WEIGHT

| | |
|--|-----------------|
| • Resmethrin (5-(phenylmethyl)-3-furanyl methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropane-carboxylate) | 0.250% |
| Related Compounds | 0.034% |
| Aromatic Petroleum Hydrocarbons | 0.331% |
| Petroleum Distillate | 53.375% |
| INERT INGREDIENTS: | 46.010% |
| Total | 100.000% |

*Contains nominal ratio: max 30% (lb) oz and min 70% (lb) oz

• U.S. Patent Nos. 3,465,007 and 3,542,928

Pratt's SBP-1382® brand of resmethrin insecticide
Pratt Corp. 1050 Wall Street West Lyndhurst NJ 07071

**CONTAINS RESMETHRIN
(SBP-1382®)
A SYNTHETIC PYRETHROID**

B
G

PRATT

SINCE 1904
TM

**WASP & YELLOW
JACKET SPRAY**

**LONG SPRAY PATTERN UP TO 10 FEET
AIDS IN REACHING NESTS**

KILLS:

- WASPS
- YELLOW JACKETS
- HORNETS
- SPIDERS

CONTAINS
RESMETHRIN

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional cautions.

CONTENTS UNDER PRESSURE

EPA Reg No 904-246 EPA Est 4990-NJ 1
PACKED FOR:

**PRATT-GABRIEL DIVISION
MILLER CHEMICAL & FERTILIZER CORP.
HANOVER, PA 17331**

NET WEIGHT: 15 OZ. AV.

DIRECTIONS FOR USE 2

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

Do not expose container to temperatures above 130 F. Do not reuse empty container. Wrap container and put in trash collection.

FOR CONTROL OF WASPS, YELLOW JACKETS AND HORNETS. Apply after dark when all of the insects have returned to the nest. Hold can upright. Remove cap. Be certain valve opening is away from the face. Direct spray to saturate in and around nest opening, contacting as many insects as possible. To prevent insects from falling on skin or clothing do not stand directly under nests.

FOR OUTDOOR USE: Do not spray into the wind. Air spray at the nest openings in trees, bushes, under eaves, chimneys, cracks, crevices, etc. For ground-nesting YELLOW JACKETS, direct spray into nest opening. Cover nest opening with a shovelful of moist soil. Avoid wetting vegetation with this spray as it may damage foliage. Repeat as necessary.

FOR INDOOR USE: Use in attics, garages, outbuildings, warehouses and other non-food storage or handling areas. Direct spray at nesting areas, particularly under rafters. Do not spray in areas where food or feedstuffs are exposed or handled. Before using on easily stained surfaces, test a small spot before giving full treatment. DO NOT APPLY AS A SPACE SPRAY.

FOR SPIDERS, outdoors or in warehouses and other non-food storage or handling areas, spray directly on spiders and treat webs and tracking areas around porches, under eaves, and along foundations. Repeat as necessary.

This spray also kills ANTS, EARWIGS, SILVERFISH SOWBUGS and CENTIPEDES when the spray is applied directly to the insects.

CONFUSED FLOUR BEETLES, LESSER GRAIN BORERS and SAW-TOOTHED GRAIN BEETLES will be killed by direct application to the insects and to cracks and crevices where they hide.

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.