



Reg # 904-246
M17
12/3

CONTENTS UNDER PRESSURE.

WASP & YELLOW JACKET SPRAY

JET STREAMS UP TO 12 FOOT RANGE

AIDS IN REACHING NESTS

Contains Resmethrin: KILLS Wasps • Yellow Jackets • Bees •
Hornets • Tent Caterpillars • Spiders

ACTIVE INGREDIENTS:	BY WEIGHT
*†•Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl- 3-(2-methyl-1-propenyl)cyclopropanecarboxylate.....	0.250%
Related Compounds.....	0.034%
Aromatic Petroleum Solvent.....	0.379%
Petroleum Distillate.....	11.375%
INERT INGREDIENTS:.....	88.000%
TOTAL.....	100.000%

*Cis/trans isomers ratio: max. 30% (+)cis and max. 70%(+)trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

•Penick's SBP-1382® brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

EPA Reg. No. 904-246

EPA Est. No. 11561-WV-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que
la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting.
This product contains aromatic petroleum solvent. Aspiration may
be a hazard. Do not give anything by mouth to an unconscious or
convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention.


IF ON SKIN: Remove contaminated clothing and wash affected area with soap and
water. Launder clothing before reusing.

IF INHALED: Remove victim to fresh air.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured For:
Pratt-Gabriel Division
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET WEIGHT: 14 OUNCES



RJ H 404-240
PM 17
1305

OUTDOORS: Apply as a contact spray. Spray directly on insects. Aim spray opening away from person. Avoid spraying plants or turf except to spray infested areas. Ants: same as directed above for indoor use. Wasps, Hornets, Yellow Jackets, Bees; same as directed for indoor use. Wasps, Hornets, Yellow Jackets, Bees; same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary. Earwigs, Sowbugs, Crickets, Beetles, Silverfish, Centipedes, Millipedes; apply as a contact spray as for indoor use. Tent caterpillars; applications should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. Aim spray directly at tents and totally saturate on all sides. Repeat as necessary.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

1305