


**ACCEPTED**  
 904-274  
 JUN 3 1974

UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND MITICIDE ACT  
 FOR ECONOMIC PEST CONTROL  
 REGISTERED UNDER NO. 904-274 SUBJECT  
 TO ATTACHED COMMENTS.



**INSECTICIDE, MALATHION, POWDER DUSTING**  
 per Federal Specification 0-1-55A

**ACTIVE INGREDIENT:**  
 Malathion (0,0-dimethyl phosphorodi-  
 thioate or diethyl mercaptosuccinate) ... 1%

**INERT INGREDIENT** ..... 99%

**TOTAL** ..... 100%

**CAUTION** KEEP OUT OF THE REACH OF CHILDREN

FOR EXTERNAL USE ONLY. AVOID BREATHING DUST. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. KEEP AWAY FROM FOOD AND MESS GEAR. RESPIRATOR OR FACE MASK SHOULD BE USED IF POWDER IS DISPENSED INTO AIR WITH DUST GUN OR BLOWER AND ONE HOUR ALLOWED FOR DUST TO SETTLE BEFORE RE-ENTERING. THE FOLLOWING ADDITIONAL PRECAUTIONS SHOULD BE OBSERVED:

1. WHEN DUSTING BY HAND OR MACHINE DO NOT APPLY MORE THAN 1 oz. TO EACH PERSON.
2. DO NOT REDUST FOR 7 FULL DAYS AFTER A PREVIOUS DUSTING.
3. INDIVIDUAL 3 oz. POLYETHYLENE BOTTLES OF MALATHION, POWDER DUSTING, WILL NOT BE USED BY PERSONNEL WHO HAVE BEEN DUSTED BY HAND OR MACHINE FOR AT LEAST 7 FULL DAYS AFTER SUCH DUSTING.
4. IF POSSIBLE TROOPS SHOULD BATHE BEFORE BEING DUSTED.
5. DO NOT DUST INDIVIDUALS WHO HAVE INSECT REPELLENTS, OIL OR GREASE ON THE SKIN.

**STORAGE INSTRUCTIONS**  
 STORE IN COOL, DRY PLACE WHEN POSSIBLE. NEVER EXCEED 90°F. STORAGE TEMPERATURE. THE AVERAGE EFFECTIVE PERIOD OF THIS ITEM IS 12 MONTHS FROM DATE OF MANUFACTURE. IF USED AFTER THIS PERIOD, MALATHION CONTENT SHOULD NOT BE BELOW 0.75%.

**INSTRUCTIONS FOR**  
**FOR BODY LICE:**  
 1. **CLOTHING OFF PERSON:** Turn and dust lightly over entire powder well into all seams; repeat until infestation is controlled.  
 2. **CLOTHING ON PERSON:** Use powder if hand duster, fill 3/4 full heavy cloud of powder at each:  
 a) Dust inside of hat and rear  
 b) Extend arms at side, shoulder delivery tube slowly up each inner garments. Blow powder on shoulder, also between individual  
 c) Insert tube at back of neckband.  
 d) Insert tube in front at armpits, both sides of body,  
 e) Loosen trousers, insert innermost garments and powder and pubic area, also underdrawers and side seams.  
 f) Insert tube down rear of and powder buttocks and rear  
 g) Dust in socks.

**FOR HEAD AND PUBIC LICE:** Dust portions of the body and work the hair with finger tips. Retention occurs.


**FOR FLEAS:** For flea control in cracks, crevices and rodent areas as a thin, uniform film of 1/4 to 1/2 lb. per 1000 sq. infested grounds, apply the powder 1 lb. per 1000 sq.ft. or 40 lb.

**BUYER ASSUMES ALL RISKS OF USE OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.**  
 Do not reuse empty container. Do not waste or burning. Stay away from

Net Weight 1 Lbs. EP



ROBBINSVILLE, TENN.



**INSECTICIDE, MALATHION, POWDER DUSTING**  
per Federal Specification O-I-55A

**ACTIVE INGREDIENT:**

Malathion :O,O-dimethyl phosphorodi-	
thioate of diethyl mercaptosuccinate ...	1%
<b>INERT INGREDIENT</b> .....	<b>99%</b>
<b>TOTAL</b> .....	<b>100%</b>

**CAUTION**

KEEP OUT OF THE REACH OF CHILDREN

FOR EXTERNAL USE ONLY. AVOID BREATHING DUST. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. KEEP AWAY FROM FOOD AND MESS GEAR. RESPIRATOR OR FACE MASK SHOULD BE USED IF POWDER IS DISPENSED INTO AIR WITH DUST GUN OR BLOWER AND ONE HOUR ALLOWED FOR DUST TO SETTLE BEFORE RE-ENTERING. THE FOLLOWING ADDITIONAL PRECAUTIONS SHOULD BE OBSERVED:

1. WHEN DUSTING BY HAND OR MACHINE DO NOT APPLY MORE THAN 1 oz. TO EACH PERSON.
2. DO NOT REDUST FOR 7 FULL DAYS AFTER A PREVIOUS DUSTING.
3. INDIVIDUAL 3 oz. POLYETHYLENE BOTTLES OF MALATHION, POWDER DUSTING, WILL NOT BE USED BY PERSONNEL WHO HAVE BEEN DUSTED BY HAND OR MACHINE FOR AT LEAST 7 FULL DAYS AFTER SUCH DUSTING.
4. IF POSSIBLE TROOPS SHOULD BATHE BEFORE BEING DUSTED.
5. DO NOT DUST INDIVIDUALS WHO HAVE INSECT REPELLENTS, OIL OR GREASE ON THE SKIN.

**STORAGE INSTRUCTIONS**

STORE IN COOL, DRY PLACE WHEN POSSIBLE. NEVER EXCEED 90°F. STORAGE TEMPERATURE. THE AVERAGE EFFECTIVE PERIOD OF THIS ITEM IS 12 MONTHS FROM DATE OF MANUFACTURE. IF USED AFTER THIS PERIOD, MALATHION CONTENT SHOULD NOT BE BELOW 0.75%.

**INSTRUCTIONS FOR USE**

**FOR BODY LICE:**

1. **CLOTHING OFF PERSON:** Turn clothing inside out and dust lightly over entire inner surface, rubbing powder well into all seams; repeat at weekly intervals until infestation is controlled.
2. **CLOTHING ON PERSON:** Use power or hand duster. If hand duster, fill 3/4 full and adjust to deliver heavy cloud of powder at each stroke.
  - a) Dust inside of hat and replace on head.
  - b) Extend arms at side, shoulder height. Insert delivery tube slowly up each sleeve between skin and inner garments. Blow powder into armpit and about shoulder, also between individual layers of clothing.
  - c) Insert tube at back of neck and dust back and neckband.
  - d) Insert tube in front at neck and dust toward armpits, both sides of body, chest and abdomen.
  - e) Loosen trousers, insert tube between skin and innermost garments and powder generously crotch and pubic area, also underdrawers, especially waist and side seams.
  - f) Insert tube down rear of trousers next to skin and powder buttocks and rear of crotch.
  - g) Dust in socks.

**FOR HEAD AND PUBIC LICE:** Dust into infested hairy portions of the body and work down to the base of the hair with finger tips. Repeat when reinfestation occurs.


**FOR FLEAS:** For flea control in buildings, apply to cracks, crevices and rodent runways; apply to floor areas as a thin, uniform film of powder at the rate of 1/4 to 1/2 lb. per 1000 sq.ft. For treating infested grounds, apply the powder at the rate of 1 lb. per 1000 sq.ft. or 40 lbs. per acre.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

Net Weight ( Lbs.

EPA REG. NO. 8343-53



ROBBINSVILLE, NEW JERSEY

26A