

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

05 DEC 1989

300
17

Pratt-Gabriel Division
Miller Chemical & Fertilizer Corporation
P.O. Box 333, Radio Road
Hanover, PA 17331

Gentlemen:

Subject: Pratt Malathion 4 - Pyrethrum 0.2 Dust
EPA Registration No. 904-282
Labeling Submitted August 24, 1988 Under
Malathion Registration Standard

The labeling referred to above, submitted in connection with registration under FIFRA, is acceptable, provided that you:

Submit five (5) copies of your final finished labeling incorporating the following correction before you release the product for shipment.

- Delete the reference to use of the product as a spray in the caution, "Do not allow contact with treated surface until sprays have dried." As presently worded, the caution implies that this dust formulation may be applied as a spray whereas no such directions appear on the product labeling.

57798:I:Mautz:M-11:KENCO:11/30/89:01/12/90:CL:vo:ek:dg

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.


A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure



MALATHION 4 — PYRETHRUM 0.2 DUST

ACTIVE INGREDIENTS:	BY WEIGHT
Malathion*	4.0%
Pyrethrins	0.2%
INERT INGREDIENTS:	95.8%
TOTAL	100.0%

*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate

EPA Reg. No. 904-282

EPA Est. No. 67

KEEP OUT OF REACH OF CHILDREN CAUTION CAUCIÓN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Gastric lavage is indicated if taken in large quantities. Do not give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be an effective adjunct to atropine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION—May be harmful if swallowed or absorbed through the skin. May cause irritation of eyes, nose, skin and throat. Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear gloves and long-sleeved clothing. Change to clean clothing daily. Wash thoroughly after handling. Wash hands and face before eating or smoking. Keep children out of treated areas. Avoid contamination of feed and foodstuffs. Food utensils such as a teaspoon or measuring cup should not be used for food after use with a pesticide. DO NOT Allow Entry into Treated Areas Until Dust has settled unless full protective clothing is worn.

DEC 05 1989

with COMMENTS
in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. No.

904-282

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS: Do not store near heat.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner


DIRECTIONS

CAUTION: USE OF THIS MATERIAL IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH DIRECTIONS MAY PRODUCE PLANT INJURY, EXCESSIVE RESIDUES OR OTHER UNDESIRABLE RESULTS.

FOR CONTROL OF PHORID FLY AND SCIARID FLY ON MUSHROOM CROPS: Dust should be applied at the rate of 2 pounds per 60 foot single house or 14 ounces per 1,000 square feet of bed surface. Make thorough application as soon after picking as possible. Repeat applications as necessary, usually twice a week. Do not apply within 24 hours of harvest.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

17M1.2MP




Manufactured For
Pratt-Gabriel Division

MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

Prod. No. 10925

NET WEIGHT: 25 POUNDS



BEST AVAILABLE COPY