



POISON



POISON



DDVP-CONCENTRATE --20%

(2.2 lbs/gal of Technical DDVP)

ACTIVE INGREDIENTS

2,2-Dichlorovinyl dimethyl phosphate 18.4%
Related Compounds 1.6%

INERT INGREDIENTS 80.0%


TOTAL 100.0%

EPA Reg. No. 908-36
EPA Est. #908-VA-1

**ONLY FOR SALE TO, USE, AND
STORAGE BY SERVICE PERSONS**

DIRECTIONS

A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING



KEEP OUT OF THE REACH OF CHILDREN



**POISON
DANGER**



PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. In case of contact, wash immediately with soap and water. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, waterproof protective clothing and goggles. Keep all unprotected persons out of operational area. While applying the insecticide, or working in treated areas during posted period, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.


ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife.
Do not apply directly to lakes, streams, or ponds.

Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



COPY AVAILABLE

Use in accordance with recommendations Agriculture Handbook No. 233. Material may be applied as an aerosol or by thermal fogging. Not for use or storage in or around the home.

CIGARETTE BEETLE - Apply at a dosage rate of one (1) gallon of this material per 499,400 cubic feet of storage space. Twice per week.

TOBACCO MOTH - Apply at a dosage rate of one-half (1/2) gallon of this material per 499,400 cubic feet of storage space. Once per week.

PRODUCT - For use only on stored tobacco in hogsheads or cases in warehouses. Not for use or storage in or around the home.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE - Keep in locked storage away from fertilizer, food or feed. Do not stack drums more than two high. Do not store near fire or open flame. In case of leak or spill, immediately isolate area and keep out unauthorized personnel. Avoid exposure. Ventilate area thoroughly. Cover spill with absorbent clay, sand, or soda ash (washing soda, sodium carbonate). Soda ash is recommended. Call toll free day or night 800-424-9300.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NET CONTENTS GALLONS
5455 Butler Road

Manufactured by
CAPITOL CHEMICAL COMPANY

12-4-62
5
7

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

If in Eyes — Flush eyes with plenty of water. Call a physician immediately.

Note to Physician

Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulations. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.