



POISON



POISON




DDVP — 20% AERO

(1.9 lbs/gal of Technical DDVP)

ACTIVE INGREDIENTS

2, 2-Dichlorovinyl Dimethyl Phosphate.....	18.4%
Related Compounds.....	1.6%
1,1,1-trichloroethane.....	50.0%
Petroleum Hydrocarbons.....	30.0%
TOTAL	100.0%



Comments

DANGER

KEEP OUT OF THE REACH OF CHILDREN

Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin! In case of contact, wash immediately with soap and water. Do not contaminate feed and food-stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, protective clothing and goggles. Keep all unprotected persons out of operational area. While applying the insecticide, or working in treated areas during posted period, wear a mask or respirator of a type passed by the U. S. Department of Agriculture for protection against dimethyl dichloro vinyl phosphate.

DO NOT USE, SPILL, POUR OR STORE NEAR HEAT OR OPEN FLAME

ANTIDOTE

If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep warm and quiet. Call a physician immediately!

Atropine is antidotal for this compound.

In case of skin contact, remove contaminated clothing and immediately wash with soap and water.

2-PAM is also antidotal & may be administered in conjunction with atropine.

5455 BUTLER ROAD

DIRECTIONS

USE BY TRAINED PERSONNEL ONLY

This material is specifically formulated for electrically timed & metered aerosol application. When transferring from container to spraying equipment the operator should wear gloves. The transfer area should be well ventilated with exhaust fan.

ROUTING: Treated warehouse must be posted at each entrance for a period of 8 days. No entry allowed in warehouse during treatment except for emergency & they must wear gas protection against DDVP.

EQUIPMENT: Dispense between 5 A.M. & midnight only. One nozzle should be used for use only on stored tobacco in nogsheds or cases in warehouses.

PRODUCT: For use only on stored tobacco in nogsheds or cases in warehouses. **CIGARETTE BEETLE & TOBACCO MOTH:** Apply at a daily dosage rate of 1 gal/1,725, 1,000 cu. ft.) For air conditioned warehouses, use 1 gal/862,600 cu. ft. (1 g

NOTICE

THE SELLER GUARANTEES THE INGREDIENTS AS STATED.

Dispose of container by washing with detergent and water thoroughly. Then sell to a cooperage company.

USDA Reg. No. 908-40

Manufactured by
CAPITOL CHEMICAL COMPANY


WASHINGTON, D. C. 20016

ACCEPTED WITH COMMENTS



DDVP — 20% / AERO
bs/gal of Technical DDVP)

ethyl Phosphate.....	18.4%
.....	1.6%
thane.....	50.0%
ns.....	30.0%
TOTAL	100.0%



Comments

DIRECTIONS

USE BY TRAINED PERSONNEL ONLY

PRECAUTIONS: Do not get on skin or clothes. If on skin, wash immediately with soap and water. If on clothes, remove and wash separately. Do not eat, drink, or smoke while using. Do not use in or around the home.

ROUTING: Treated warehouse must be posted at each entrance for a period of 8 hours. No persons allowed in warehouse during treatment except for emergency & they must wear gas masks approved for protection against DDVP.

EQUIPMENT: Dispense between 5 A.M. & midnight only. One nozzle should be used per 50,000 cu. ft.

PRODUCT: For use only on stored tobacco in hogsheads or cases in warehouses. Not for use or storage in or around the home.

CIGARETTE BEETLE & TOBACCO MOTH: Apply at a daily dosage rate of 1 gal/1,725,200 cu. ft. (.5 grams/1,000 cu. ft.) For air conditioned warehouses, use : gal/962,600 cu. ft. (1 gram/1,000 cu. ft.)

NOTICE

THE SELLER GUARANTEES THE INGREDIENTS AS STATED.

Dispose of container by washing with detergent and water thoroughly. Then sell to a cooperage company.

USDA Reg. No. 908-40

NET CONTENTS GALLONS

Manufactured by
CAPITOL CHEMICAL COMPANY

WASHINGTON, D. C. 20016