



POISON



POISON



DDVP-CONCENTRATE-AERO

(1.9 lbs/gal of Technical DDVP)

ACTIVE INGREDIENTS

2,2-Dichlorovinyl dimethyl phosphate	18.4%
Related Compounds	1.6%
Petroleum Hydrocarbons	30.0%

INERT INGREDIENTS

FPA Reg. No. 908.40	50.0%
EPA-Est-908 VA-1	
TOTAL	100.0%

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

DIRECTIONS


IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

KEEP OUT OF THE REACH OF CHILDREN



POISON DANGER

PRECAUTIONARY STATEMENTS
Hazards to Humans
(and Domestic Animals)



Avoid inhalation if swallowed, inhaled or absorbed through skin or eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. In case of contact, wash immediately with soap and water. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, water proof protective clothing and goggles. Keep all unprotected persons out of operational area. While applying the insecticide, or working in treated areas during posted period, wear a pesticide respirator jacket approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams, or ponds.

Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

BEST AVAILABLE COPY

This material is specifically formulated for electrically timed & metered aerosol spraying equipment. When transferring from container to spraying equipment the operator should wear a face mask & rubber gloves. The transfer area should be well ventilated with exhaust fan.

POSTING: Treated warehouse must be posted at each entrance for a period of 8 hours. No persons allowed in warehouse during treatment except for emergency & they must wear gas masks approved for protection against DDVP.

EQUIPMENT: Dispense between 5 p.m. & midnight only. One nozzle should be used per 50,000 cu. ft.

PRODUCT: For use only on treated tobacco in bags, heads or cases in warehouses. Not for use or storage in or around the home.

CIGARETTE BEETLE & TOBACCO MOTH: Apply at a daily rate of 1 gal./1,725,200 cu. ft. (5 grams/1,000 cu. ft.) For air conditioned wareh. cases, use 1 gal./862,600 cu. ft. (1 gram/1,000 cu. ft.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep in locked storage away from fertilizer, food or feed. Do not stack drums more than two high. Do not store near fire or open flame. In case of leak or spill, immediately isolate area and keep out unauthorized personnel. Avoid exposure. Ventilate area thoroughly. Cover spill with absorbent clay, sand, or soda ash (washing soda, sodium carbonate). Soda ash is recommended. Call toll free day or night 800-424-9300.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NET CONTENTS _____ GALLONS

Manufactured by
CAPITOL CHEMICAL COMPANY

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

If in Eyes — Flush eyes with plenty of water. Call a physician immediately.

Note to Physician

Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulations. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.