



POISON



POISON

DDVP-CONCENTRATE—50%

(5.8 lbs/gal of Technical DDVP)

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

If in Eyes — Flush eyes with plenty of water. Call a physician immediately.

Note to Physician

Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.


Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. If PAM is also administered, may be a first step in conjunction with atropine. Observe patient carefully for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained, as determined by blood test.

ACTIVE INGREDIENTS

2,2-Dichlorovinyl dimethyl phosphate 46.5%

Related Compounds 3.5%

INERT INGREDIENTS



..... 50.0%

TOTAL 100.0%

EPA Reg. No. 908-42
EPA Est. 908-VA-1

KEEP OUT OF THE REACH OF CHILDREN



POISON
DANGER



PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. In case of contact, wash immediately with soap and water. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, waterproof protective clothing and goggles. Keep all unprotected persons out of operational area. While applying the insecticide, or working in treated areas during posted period, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife.

Do not apply directly to lakes, streams, or ponds.

Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

This material is specifically formulated for timed & metered aerosol spraying equipment. When transferring from container to spraying equipment, the operator should wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II, natural rubber gloves, waterproof protective clothing & goggles. The transfer area should be well ventilated with exhaust fan.

POSTING: Treated warehouse or factory area must be posted at each entrance for a period of 8 hours. A factory area equipped with air conditioning or other forced ventilation including air washing must be posted for a period of two (2) hours provided the air conditioning air washing system reduces the level of DDVP concentration in the factory area to below the Threshold Limit Value (TLV) of 1 mg/cubic meter within two (2) hours after treatment. If the air conditioning-air washing system does not meet the above TLV standard, the factory must be posted until the concentration of DDVP is reduced to 1 mg cubic meter (TLV) or less. No persons allowed in warehouse or factory area during treatment except for emergency and they must wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II, natural rubber gloves, waterproof protective clothing & goggles. Take shower or bath after exit from building.

EQUIPMENT: Dispense between 5 p.m. and midnight only. For air conditioned warehouse or factory dispense between 5 p.m. and 4 a.m. only. One nozzle should be used per 25,000 cubic feet.

PRODUCT: Only for use in warehouse or factory area containing tobacco. Not for use or storage in or around the home.

CIGARETTE BEETLE AND TOBACCO MOTH (exposed stages): Apply at a daily dosage rate of one gallon/5,262,000 cubic feet (5 grams/1,000 cubic feet) For air conditioned warehouse or factory area use one gallon/2,621,000 cubic feet (one gram/1,000 cubic feet)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep in locked storage away from fertilizer, food or feed. Do not stack drums more than two high. Do not store near fire or open flame. In case of leak or spill, immediately isolate area and keep out unauthorized personnel. Avoid exposure. Ventilate area thoroughly. Cover spill with absorbent clay, sand, or soda ash (washing soda, sodium carbonate). Soda ash is recommended. Call toll free day or night 800-424-9300.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NET CONTENTS GALLONS
5455 Butler Road

Manufactured by
CAPITOL CHEMICAL COMPANY
Bethesda, Maryland 20816