



DOO-SPRAY

for control of

POWDERY MILDEW

on roses, begonias,

and certain other

flowering plants

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See other cautions on back panel.

NET CONTENTS 8 FLUID OUNCES

COOKE LIQUID DOO-SPRAY

A solubilized Karathane® emulsion for use as a control for Powdery Mildew on ROSES, BEGONIAS, Chrysanthemum, Zinnia, Euonymus, Hydrangea, Calendula, African Violet, Dahlia, Aster, Belladonna, Gerbera, Delphinium, Snapdragon, Larkspur.

DIRECTIONS

Add 2 teaspoonfuls to each gallon water for spray solution. For larger amounts use 1 fluid ounce to each 3 gallons water.

At first appearance of Powdery Mildew spray solution directly on plants, thoroughly wetting both sides of leaves. Treat in early morning for optimum results. It is preferable to apply when foliage will dry rapidly. Repeat at weekly intervals as required to control.

In warm weather after 10 a.m. spray foliage with plain water before applying spray solution.

NOTE: This product contains adequate wetting and sticking agents. Do not add, or mix with, other spray materials.

USDA Reg. No. 909-59

Active ingredients:

Dinitro (1-methyl heptyl)**phenyl crotonate 6.30%

Other nitro phenols and derivatives chiefly dinitro

(1-methyl heptyl)**phenol 0.70%

Inert ingredients 93.00%

**Capryl

*®Rohm & Haas, Philadelphia

Protect from freezing temperature.

CAUTION: Keep out of reach of children. Harmful if swallowed. May be a skin sensitizer, may cause irritation. Avoid skin contact and inhalation of mist. Keep out of eyes. Wash thoroughly after use. This material has a yellow color which may stain skin, clothing or other fabrics. Avoid contamination of feed and foodstuffs. Highly toxic to fish. Do not contaminate ornamental fish ponds. Do not apply when temperature exceeds 85 degrees.

COOKE LABORATORY PRODUCTS • PICO RIVERA • CALIFORNIA

Jul 26 1961
67-19



DOO-SPRAY

for control of
POWDERY MILDEW
 on roses, begonias,
 and certain other
 flowering plants

KEEP OUT OF REACH OF CHILDREN
 CAUTION:

See other cautions on back panel.
 NET CONTENTS 8 FLUID OUNCES

COOKE LIQUID DOO-SPRAY

A solubilized Karathane® emulsion for use as a control for Powdery Mildew on **ROSES, BEGONIAS, Chrysanthemum, Zinnia, Euonymus, Hydrangea, Calendula, African Violet, Dahlia, Aster, Belladonna, Gerbera, Delphinium, Snapdragon, Larkspur.**

DIRECTIONS

Add 3 teaspoonsful to each gallon water for spray solution. For larger amounts, use 1 fluid ounce to each 3 gallons water.

At first appearance of Powdery Mildew spray solution directly on plants thoroughly wetting both sides of leaves. Treat in early morning for optimum results. It is preferable to apply when foliage will dry rapidly. Repeat at weekly intervals as required to control.

In warm weather after 10 a.m. spray foliage with plain water before applying spray solution.

NOTE: This product contains a wetting agent which may prevent contact with other spray materials.

USDA Reg. No. 1229-100

Active ingredients:

Diethyl (1-methyl-heptyl) phosphorocarbonate

Other: triphenyls and derivatives thereof

methyl-heptyl phosphorocarbonate

Other ingredients:

Water

Protect from freezing temperature.

CAUTION: Keep out of reach of children. Harmful if swallowed. May cause skin irritation. Avoid skin contact and contact with eyes. Wash thoroughly after use. Do not use on plants which may be injured by fungicides. Avoid use on plants which may be injured by fungicides. High volatility. Do not use on plants which may be injured by fungicides. Do not apply when temperature is higher.

COOKE LABORATORY PRODUCTS • PICO RIVERA • CALIFORNIA