

NET WEIGHT 10 OZS.

COOKE

### REFILLABLE SQUEEZE DUSTER

Contains Karathane\*\*, Dithane Z-78\*\*, Lindane and Toxaphene.

This combination Insecticide - Miticide - Fungicide dust is for use on Roses and Flowering Plants and Ornamentals, such as Chrysanthemum, Begonia, Zinnia, Euonymus, Hydrangea, Calendula, African Violet, Dahlia, Aster, Belladonna, Gerbera, Delphinium, Snapdragon, Larkspur, Lilac.

**DIRECTIONS:** Lift hinged cap. Squeeze container to dust. Dust liberally upward and under leaves when air is still and cool. Apply sufficient dust for complete plant coverage. Do not apply when temperature exceeds 85 degrees.

**INSECTS**—for control of Aphids, Red Spider Mites, Leaf-eating Caterpillars, Rose Slugs, Climbing Cutworms, Leafhoppers, exposed Thrips, White Flies, Fuller's Rose Weevils, Leaf rollers, Rose Snout Beetles (Curculio), Flea Beetles, Plant Bugs (Lygus), Lace Bugs, Rose Chafers, Cucumber Beetles (Diabrotica): Apply as soon as damage is seen or injurious insects begin to appear. Repeat treatment as needed to control.

**DISEASE**—for control of Powdery Mildew, Black Spot, Leaf Spot, Rust: Start regular preventive dusting as soon as foliage or new growth appears. Apply every 7 to 14 days during growing season. Treat at least weekly during periods of moderate infection, and twice weekly during periods of rapid new growth and severe infection caused by repeated rains or high humidity.

USDA Reg. No. 909-64


Active Ingredients:

Dinitro (1-methylheptyl) phenyl crotonate .....	0.9%
Other nitrophenols and derivatives, chiefly dinitro (1-methylheptyl) phenol .....	0.1%
Zineb (zinc ethylene bisdithio carbamate) .....	3.9%
Gamma isomer of benzene hexachloride from lindane ...	1.0%
*Toxaphene .....	5.0%
Inert Ingredients .....	89.1%
Total .....	100.0%

\*Technical chlorinated camphene (chlorine content 67% to 69%)

**CAUTION:** Keep out of reach of children. Harmful if swallowed. May be a skin sensitizer, may cause irritation, may be absorbed through skin. Avoid skin contact and inhalation of dust. Keep out of eyes. For eyes flush with water and get medical attention. Avoid contact with clothing. Wash thoroughly after use. Avoid contamination of feed and foodstuffs. Toxic to fish and wildlife. Keep out of any body of water. Do not use on pets.

\*\*©Rohm & Haas, Philadelphia




# ROSE DUST

## Controls

- Insects
- Mites
- Rust
- Black Spot
- Powdery Mildew

**MULTI-PURPOSE SQUEEZE DUSTER**



**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
See other cautions on back panel.

NET WEIGHT 10 OZS



### REFILLABLE SQUEEZE DUSTER

Contains Karathion \*\*; Dithane Z 78\*\*; Lindane and Toxaphene

This combination Insecticide - Miteicide - Fungicide dust is for use on Roses and Flowering Plants and Ornamentals, such as Chrysanthemum, Begonia, Zinnia, Euonymus, Hydrangea, Calendula, African Violet, Dahlia, Aster, Belladonna, Gerbera, Delphinium, Snapdragon, Larkspur, Lilac.

**DIRECTIONS:** Lift hinged cap. Squeeze container to dust. Dust liberally upward and under leaves when air is still and cool. Apply sufficient dust for complete plant coverage. Do not apply when temperature exceeds 85 degrees.


**INSECTS**—for control of Aphids, Red Spider Mites, Leaf-eating Caterpillars, Rose Slugs, Climbing Cutworms, Leafhoppers, exposed Thrips, White Flies, Fuller's Rose Weevils, Leaf rollers, Rose Snout Beetles (Curculio), Flea Beetles, Plant Bugs (Lygus), Lace Bugs, Rose Chafers, Cucumber Beetles (Diabrotica): Apply as soon as damage is seen or injurious insects begin to appear. Repeat treatment as needed to control.

**DISEASE**—for control of Powdery Mildew, Black Spot, Leaf Spot, Rust. Start regular preventive dusting as soon as foliage or new growth appears. Apply every 7 to 14 days during growing season. Treat at least weekly during periods of moderate infection, and twice weekly during periods of rapid new growth and severe infection caused by repeated rains or high humidity.

USDA Reg. No. 909-64

Active Ingredients:  
Dithane Z 78 (Dithionon) 1.00%  
Karathion (Dichlorvos) 0.10%  
Lindane 0.10%  
Toxaphene 0.10%  
Total 1.30%

**CAUTION:** Keep out of reach of children. Harmful to Fish and Marine Life. Irritant to eyes. Irritation may be absorbed through skin. Avoid skin contact and inhalation. Avoid contact with eyes. For eyes flush with water and get medical attention. Avoid contact with clothing. Wash thoroughly after use. Avoid contamination of food and feed stuff. Toxic to fish and wildlife. Keep out of water. Do not use in pet.



# ROSE DUST

## Controls

- Insects
- Mites
- Rust
- Black Spot
- Powdery Mildew

**MULTI-PURPOSE SQUEEZE DUSTER**



**CAUTION:** KEEP OUT OF REACH OF CHILDREN  
See other cautions on back panel.

