

R 96 # 909-83

COOKE

SLUG-N-SNAIL GRANULES

KILLS

**EARWIGS
SOWBUGS
CUTWORMS
ANTS**

**MAY BE
USED AROUND
VEGETABLES
& FRUITS**

such as specified
in directions.



NOT REVIEWED
In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with water. Consult a physician if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

IF ON SKIN: Wash thoroughly with soap and water. This pesticide may be fatal to children, dogs or other pets if eaten. Keep children and pets out of the treated area. Follow directions and use with care. See other warnings on back panel.

COOKE SLUG-N-SNAIL GRANULES

DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Read directions and warnings. Water treated area thoroughly. Scatter Cooke Slug-N-Snail Granules on ground as to cover a large area—do not place in piles or heaps. Apply at anytime of day, although it is preferable to treat in late afternoon. After application do not water treated area for 48 hours. For best results apply in the evening, especially following rain or watering.

To kill slugs and snails in ornamental gardens, planted borders, beds and ground covers, such as ivy or dichondra or grass lawns. Scatter Cooke Slug-N-Snail Granules lightly on surface of infested area at rate of 1 pound to 1500 square feet. Apply under and around flowers and shrubs, along edges of flower beds adjacent to border or ground cover plants or lawn. In crevices, as between lawn and walk or curb, and on ground at base of fences and walls in shaded locations.

VEGETABLES including beans, tomatoes, peas, corn, sweet corn, carrots, cucumbers, cantaloupes, peppers, cabbage, squash, broccoli, lettuce, radishes, art-chokes, beets, brussel sprouts, spinach, cauliflower, swiss chard, extra rhubarb, celery, egg plant, head lettuce, melons, Berries including strawberries, cane berries, blackberries, avocados, cherries, citrus, grapes, peaches, apples and plums. Do not allow the granules to contact edible portion of any food or feed crop. Apply 3 or 4 weeks during the growing season, or as needed. **DO NOT APPLY DIRECTLY ONTO PLANTS.**

For hard-to-reach places or under dense foliage in shaded areas where these pests may hide, place Cooke Slug-N-Snail Granules in a cup or similar receptacle and broadcast, with a sweeping motion, over the soil surface. Repeat in 10 days or when reinfestation occurs.

LAWN AND GENERAL GARDEN USE: for control of Sowbugs, Earwigs, Fat Armyworms, Millipedes, and Ants. Apply as directed above using 1 pound of Cooke Slug-N-Snail Granules to 250 square feet. Repeat as required to control. For earwig control: Make applications particularly to daytime hiding places, including lawns around base of trees, shrubs, along walks, fences and foundation of buildings. Keep children and pets off treated areas until this material has been washed into the soil and areas thoroughly dry. For best results apply in the evening, especially following rain or watering.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Warning. Keep out of reach of children. May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Do not allow the granules to contact edible portion of any food or feed crop. Wash thoroughly after using. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs. This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock. Protect dogs from treated areas, since they may be attracted to this product when applied.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes.

STORAGE AND DISPOSAL: Avoid contamination of feed, food-stuffs or water supplies. Store in a dry cool place preferably in a locked storage area. Do not reuse container. Discard container in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Active Ingredients	
Metaldenhyde	3.00%
Carbaryl (1-naphthyl N methylcarbamate)	5.00%
Inert Ingredients	92.00%
	100.00%

*Trademark of Union Carbide Corp. for the active ingredients

EPA Reg No. 909-83 EPA EST. No. 909-CA-1

NET WT. 16 OZ. (1 LB.)

COOKE LABORATORY PRODUCTS / COMMERCE, CALIF. 90040

BEST AVAILABLE COPY