

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 909-83	DATE OF ISSUANCE 5/31/83
	TERM OF ISSUANCE Until 1/1/85	
	NAME OF PESTICIDE PRODUCT Cooke Slug-N-Snail Granules	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> <p>Cooke Laboratory Products 2515 S. Yates Avenue Commerce, CA 90040</p> </div>		
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:             <ol style="list-style-type: none"> <li>a. Add the phrase "EPA Registration No. 909-83."</li> <li>b. Delete the claim for control of fleas, crutch bugs or sod webworms on the front and back panel of your label.</li> <li>c. Revise the "If Swallowed" section of your Statement of Practical Treatment paragraph to read:                 <p style="margin-left: 40px;">If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.</p> </li> </ol> </li> </ol>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL <i>[Signature]</i>		DATE 5/31/83

d. Revise your Storage and Disposal directions to read:

Avoid contamination of feed, food-stuffs or water supplies. Store in a dry cool place preferably in a locked storage area. Do not reuse bag. Discard bag in trash.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 5(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

COOKE

SLUG - N - SNAIL  
GRANULES

KILLS

- EARWIGS
- SOWBUGS
- CUTWORMS
- CHINCH BUGS
- ANTS--FLEAS

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAY 31 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

909-83

such as specified in directions

(to be used around  
Vegetable & Fruits)

ATTRACTS AND KILLS  
(picture of snail and slug)  
SNAIL AND SLUGS

EPA Reg. No. 909-XX-

EPA EST. No. 909-CA-1

Active Ingredients:

Metaldehyde.....	3.00%
*Carbaryl(1-naphthyl N-methylcarbamate)....	5.00%
Inert Ingredients:.....	<u>92.00%</u>
	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with water. Consult a physician if  
irritation persists.


IF SWALLOWED: Call Poison Control Center or a physician.

IF ON SKIN: Wash thoroughly with soap and water.

This pesticide may be fatal to children, dogs  
or other pets if eaten. Keep children and pets  
out of the treated area. Follow directions and  
use with care. See other warnings on back  
panel.

\*Trademark of Union Carbide Corp. for the  
active ingredients.

NET WT. 16 OZ. (1 LB.)



## COOKE SLUG-N-SNAIL GRANULES

### DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label. Heed directions and warnings. Water infested area thoroughly. Scatter **Cooke Slug-N-Snail Granules** on ground as to cover a large area--do not place in piles or heaps. Apply at anytime of day, although it is preferable to treat in late afternoon. After application do not water treated area for 48 hours. For best results, apply in the evening. Especially following rain or watering.

To kill slugs and snails in ornamental gardens, planted borders, beds and ground covers, such as ivy or dichondra or grass lawns: Scatter **Cooke Slug-N-Snail Granules** lightly on surface of infested area at rate of 1 pound to 1500 square feet. Apply under and around flowers and shrubs, along edges of flower beds adjacent to border or ground cover plants or lawn. In crevices, as between lawn and walk or curb, and on ground at base of fences and walls in shaded locations.

VEGETABLES: including beans, tomatoes, peas, corn, sweet corn, carrots, cucumbers, cantaloupes, peppers, cabbage, squash, broccoli, lettuce, radishes, artcokes, beets, brussel sprouts, spinach, cauliflower, swiss chard, okra, rhubarb, celery, egg plant, head lettuce, melons, squash; Berries: including strawberries, cane berries, blackberries, Avocados, cherries, citrus, grapes, peaches, apples, and plums. Do not allow the granules to contact edible portion of any food or feed crop. Apply 3 or 4 weeks during the growing season, or as needed. DO NOT APPLY DIRECTLY ONTO PLANTS.

For hard-to-reach places or under dense foliage in shaded areas where these pestes may hide, place **Cooke Slug-N-Snail Granules** in a cup or similar receptacle and broadcast, with a sweeping motion, over the soil surface. Repeat in 10 days or when reinfestation occurs. ←

LAWN AND GENERAL GARDEN USE: for control of Sowbugs, Earwigs, Fall Armyworms, Sod webworm (Lawn Moth worms), Chinch Bugs, Millipedes, Fleas and Ants: Apply as directed above using 1 pound of **Cooke Slug-N-Snail Granules** to 1250 square feet. Repeat as required to control. For earwig control: Make applications particularly to daytime hiding places, including lawns around base of trees, shrubs, along walls, fences and foundation of buildings. Keep children and pets off treated areas until this material has be washed into the soil and area is thoroughly dry. For best results, apply in the evening. Especially following rain or watering.

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** Warning: Keep out of reach of children. May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Do not allow the granules to contact edible portion of any food or feed crop. Wash thoroughly after using. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock protect dogs from treated areas, since they may be attracted to this product when applied.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes.

**STORAGE AND DISPOSAL:** Avoid contamination of feed, food-stuffs, water supplies, and fish ponds. Do not reuse empty container. Pesticide that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Container may be disposed by securely wrapping original container in several layers of newspapers and discard in trash.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

COOKE LABORATORY PRODUCTS

COMMERCE, CALIFORNIA 90040

