909-83

12/21/99

page 1 2 3

COOKE SLUG-N-SNAIL GRANULES

May Be Used Around Fruits and Vegetables

Granules Kill Snails, Slugs, Earwigs, Sowbugs, Cutworms and Ants.

ACTIVE INGREDIENTS: Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7tetraoxycyclo-octane) 3.00% Carbaryl (1-naphthyl N-methylcarbamate) 5.00% INERT INGREDIENTS 92.00%

Keep out of reach of children WARNING

This pesticide may be fatal to children, dogs or other pets if eaten. Keep children and pets out of the treated area. Follow directions and use with care. See side panel for additional precautionary statements.

NET WT. 3 LBS. (1.3 kg)

Ì

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Do not allow the granules to contact edible portion of any food or feed crop. Wash thoroughly after using. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush eyes with water. Consult a physician if irritation persists. If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. If On Skin: Wash thoroughly with soap and water. NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs. This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock. Protect dogs from treated areas, since they may be attracted to this product when applied.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

DEC 2) 1999 There 33 8 Pegistered w EPA Reg. No

.

. . . .

DIRECTIONS FOR USE

)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For household use only.

Read entire label. Heed directions and warnings. Water infested area thoroughly. Scatter SLUG-N-SNAIL GRANULES on ground as to cover a large area - do not place in piles or heaps. Apply at anytime of day, although it is preferable to treat in late afternoon. After application do not water treated area for 48 hours. For best results, apply in the evening, especially following rain or watering.

One-half cup of COOKE SLUG-N-SNAIL GRANULES equals approximately 3 ounces.

To kill slugs and snails in ornamental gardens, planted borders, beds and ground covers, such as ivy or dichondra or grass lawns: Scatter SLUG-N-SNAIL GRANULES lightly on surface of infested area at rate of 1 pound to 1,500 square feet. Apply under and around flowers and shrubs, along edges of flower beds adjacent to border or ground cover plants or lawn. In crevices, as between lawn and walk or curb, and on ground at base of fences and walls in shaded locations.

VEGETABLES AND FRUIT - To kill slugs, snails, armyworms, cutworms, earwigs, sowbugs, crickets, grasshoppers. Broadcast lightly on soil surface around plants at the rate indicated for each crop. Do not allow bait to contact foliage or edible part of crops. Observe the number of days before harvest for last application as noted in parentheses following each crop.

Asparagus (1): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days when applications are to spears; apply as often as every 3 days when applications are to ferns. Make no more than 3 applications prior to harvest and 2 additional applications to ferns only.

Snap Beans (fresh), Peas (fresh) (all 3): Use 2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 4 applications per year.

Beets (roots), Carrots, Radish, Parsnips, Rutabaga, Turnips (roots) (7): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 3 applications per year.

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kohlrabi (3): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 3 applications per year.

Chinese Cabbage, Kale, Collards (14): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 3 applications per year.

Sweet Corn (2): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 3 days. Make no more than 8 applications per year.

Cucumber, Melon, Squash (3): Use 1 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 6 applications per year.

Lettuce (head and leaf), Endive, Celery, Dandelion, Parsley, Swiss Chard, Hanover Salad, Rhubarb, Beets (Tops), Turnip (Tops) (15): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 3 applications per year.

Potatoes (7): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 3 applications per year.

Strawberries (7): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 5 applications per year.

Tomatoes, Peppers, Eggplant (3): Use 2-1/2 tsp per 25 sq. ft. Reapply as often as every 7 days. Make no more than 4 applications per year.

LAWN AND GENERAL GARDEN USE: For control of Ants, Cutworms, Earwigs, Fall Armyworms, Millipedes, and Sowbugs: Apply as directed above using 1 pound of SLUG-N-SNAIL GRANULES to 250 square feet. Repeat as required to control. For earwig control: Make applications particularly to daytime hiding places, including lawns, around base of trees, shrubs, along walks, fences and foundation of buildings. Keep children and pets off treated areas until this material has been washed into the soil and area is thoroughly dry. For best results, apply in the evening, especially following rain or watering.

STORAGE AND DISPOSAL

Shiking a second

1 - 6 - , in part of the second

Avoid contamination of feed, foodstuffs or water supplies. Store in a dry cool place preferably in a locked storage area. Do not reuse container. Discard container in trash.

Filled by weight not by volume. Product may settle after packaging.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

STATISTICS IN THE

THE GARDEN GROW COMPANY PO BOX 100 INDEPENDENCE, OREGON 97351 EPA Reg. No. 909-83 EPA Est. 35497-OR-01