DATE OF ISSUANCE US ENVIRONMENTAL PROTÈL ,ON AGENCY OFFICE OF PESTICIDES PROGRAMS 909-93 JUN 2 8 1990 TERM OF ISSUANCE **REGISTRATION DIVISION (75-767)** WASHINGTON, DC 20460 NOTICE OF PESTICIDE: REREGISTRATION (Under the Federal Insecticide, Fungicide, KIND OF BUILDING WILL CAN UP HERE - and Rodoutscide. Act, uncamended). - -NAME AND ADDRESS OF REGISTRANT (Include ZIP code) 1 NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned nerewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally redistered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: 1. Submit on //r cite all data require for recistration/reregistration of your product under FIFRA sec. 3(c)(5) when the Adency requires all registrants of similar products to suomit such gata. 2. Make the labeling changes listed below before you release the product for this cut: a. Acc the onrase, "EPA Pedistration No. 909-95" to your label refore you release the product for shipment. in the few Historials has to upper the managers to the total paper, at the t, to skin to skin. c. Correct the ingredient label format to read as follows: " وأخران والمستعد أفراء الفارات أخار الأنارا Name of Ingredient

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

TACHMENT IS APPLICABLE

 Λ

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

- 2 -

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for snappent of the product constitutes acceptance of these conditions.

Joanne I. Miller Acting Product Manager (23) Pungicide-Herbicide Branch Registration Division (H7505C)

BLOT AVAILABLE EUPY

CONCURRENCES								
SYMBOL	H7555C	and take						
SURNAME	SIONA] 1	
DATE	5/16/90							
	1226 1 (12 20)		<u> </u>		·		ARRICI	AL BIL & CORY

OFFICIAL FILE CUPT

ACCEPTED with COMMENTS in EPA Letter Dated:

COOKE NON-SELECTIVE WEED KILLER

JUN 2 8 1990

Covers 133 SQ. FT.

ACTIVE INGREDIENTS:

Prometon (2, 4-bis (isopropylamino)-6methoxy-s- triazine) . . .

2, 4-Dichlorophenoxyacetic acid .

INERT INGREDIENTS 95,4%

FOR DRIVEWAYS, PATIOS, FENCE ROWS, AND OTHER WASTE PLACES

Keep out of reach of children DANGER

See side panel for additional precautionary statements.

NET CONTENTS | PT.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin irritation, Do not get in eyes, on skin or clothing. May cause allergic akin/reaction. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Wash thoroughly after handling. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, wash with water for at least 15 minutes and seek medical attention. In case of skin contact, wash with plenty of soap Get medical attention if skin irritation persists. If and water. ingested, do not induce vomiting. Drink milk, egg whites or gelatin. not available, drink planty of water. If inhaled, remove victim to fresh air.

Note to Physician: There is no specific antidote. If ingested, do not induce emesis and take care to avoid aspiration of stomach contents during gastric lavage. Give a saline laxative and supportive therapy. : ::::

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

BEST AVAILABLE COPY

Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide . registered under EPA Reg. No.

9c?-2£

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON LAWNS . . . KILLS GRASS

Read Cautions First! Shake well before using.


- 1. Mix 3/4 to 1 pint per gallon of water in sprayer or sprinkler applicator. If sprayer is used, work at lowest possible pressure and use large nozzle opening to give large droplets.
- 2. Apply one gallon of mixed spray per 100 to 133 sq. ft. On scattered weeds wet all foliage to the ground. Full wetting is essential for good control. New shoots from deep rooted perennials such as Canada Thistle and Milkweed may require repeat spraying. Make application when weeds are young and actively growing. Action is slow if ground is dry or plants wilted.
- 3. Apply along fence lines, gravel drives, patio blocks, and around buildings where no growth is desired. Kills grass and broadleaf weeds. Do not use on lawns. Some species such as Oxalis may not be completely killed. Annual weeds may sprout from seed 3 or 4 months following treatment. Tall weeds should be cut first as the dead foliage is a fire hazard.
- 4. Activity is apparent on plants in a few days but final kill by root penetration may take 2 or 3 weeks. The mixed spray is white and any skips are noticeable so that complete coverage is easy to obtain.

OTHER USE PRECAUTIONS: Care must be taken that none of this material falls on flower beds or edges of lawns. Do not spray over roots of valuable trees, shrubs or grape vines. Never use a weed killer sprayer or equipment to apply insecticides or fungicides. Do not use same spray equipment to apply insecticides or fungicides. Do not use same spray equipment for other purposes. Avoid spray drift to vegetables, flowers, ornamentals or other desirable plants. Do not use fine mist sprays. Coarse sprays are less likely to drift away from target area.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near fertilizers, insecticides, fungicides, or near seeds. PRODUCT DISPOSAL: Securely wrap original container with unused product in several layers of newspapers and discard in trash. CONTAINER DISPOSAL: Do not reuse empty can. Rinse thoroughly before discarding in trash.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather compatibility with other chemicals, and condition of application



equipment will vary, Seller makes no claims other than those stated on this label.

COOKE LABORATORY PRODUCTS
PORTLAND, OREGON 97218
EPA Est. 802-OR-1
EPA Reg. No. 90965712

