

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)—CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes with plenty of water, wash skin with soap and water. If irritation develops, get medical attention. Avoid contamination of food or foodstuffs.

Environmental Hazards: Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Keep from freezing. Do not store near food or foodstuffs. Do not store near fertilizers, seeds, insecticides, or fungicides. **DO NOT REUSE EMPTY CONTAINER WRAP AND PUT IN TRASH COLLECTION.**

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solution near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse, droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within dripline of trees and other ornamental species. This product may be injurious to St. Augustine and Centipede grasses. Since injury can be expected, "spot-spray" weeds only with a pressure sprayer.

May be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrell and Spurge. In addition, this product controls most other broadleaf weeds, including sensitive weeds such as Clover, Dandelion, Knotweed and Plantain. Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a "spot-treatment" may be made at any time with a small pressure-sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow before treating. Do not water lawn within 24 hours after treatment.

REC'D
NOV 13 1982
Federal Insecticide,
and Rodenticide Act
the pesticide
Act

**TURF HERBICIDE 6000
LAWN WEED KILLER**

Contains *TRIMEC* Herbicide: 2, 4-D, MCPP, Dicamba
1 pint covers up to 3,000 sq. ft.

**Kills: DANDELION, CHICKWEED, KNOTWEED, HENBIT, PLANTAINS,
CLOVER, SPURGE, POISON IVY, WILD ONION and RAGWEED.**

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| **Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic acid | 5.73% |
| **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | 2.77% |
| ***Dimethylamine Salt of Dicamba (3, 5-D or ortho-banisic acid) | 0.63% |
| INERT INGREDIENTS | 90.87% |
| | 100.00% |

This Product Contains

- **0.41 lb. 2, 4-Dichlorophenoxyacetic acid per gallon or 4.76%
- **0.19 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 2.28%
- ***0.04 lb. 3, 5-Dichlorophenoxyacetic acid per gallon or 0.52%

*Some Specific by AGAC Method No. A-001-5
TRIMEC is a registered trademark of PBI GORDON CORP.
U.S. Patent No. 3,384,186

EPA Reg. No. 904-194

EPA Est. No. 72-PA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by sticking back of throat with finger. Call a physician at once. Do not induce vomiting if given anything by mouth to an unconscious person.
IF IN EYES: Flush with plenty of water and call a physician immediately.
IF INHALED: Remove victim to fresh air.
IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. Remove contaminated clothing and shoes. Launder before wearing.
See back panel for complete caution statement.

NET CONTENTS 8 Fl. Oz. 1 Pint 1 Quart 1 Gallon

BROADLEAF WEEDS/HOW MUCH TO USE (ENTIRE LAWN) HOSE-END-SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown (Column 3). For example, to spray 950 sq. ft., measure 10 tablespoons (5 fl. oz.) in jar, add water to the 5 gals. level, mix, and turn on hose and spray over 950 sq. ft.

| Column 1 | | Column 2 | Column 3 |
|---------------------|-----------|--------------------------|-------------------------|
| Amt. to Use (Tbsp.) | (Fl. Oz.) | Fill Bottle To (Gallons) | Area to Treat (Sq. Ft.) |
| 10 | 5 | 5 | 950 |
| 20 | 10 | 10 | 1,900 |
| 30 | 15 | 15 | 2,850 |
| 40 | 20 | 20 (Full) | 3,800 |

BROADLEAF WEEDS/HOW MUCH TO USE (ENTIRE LAWN) PRESSURE-SPRAYER: Measure indicated amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist. Cover the area indicated.

| Amt. to Use (Tbsp.) | (Fl. Oz.) | Amt. Water in Sprayer (Gals.) | Area to be Sprayed (Sq. Ft.) |
|---------------------|-----------|-------------------------------|------------------------------|
| 2 | 1 | 1 | 190 |
| 15 | 8 | 2-3 | 1,500 |
| 32 | 16 | 3-4.5 | 3,000 |
| 64 | 32 | 6-9 | 6,000 |

NOTE: Whether using a hose-end or pressure sprayer, avoid fine-mist sprays. A fine-mist spray can drift, causing damage to ornamental or garden plants. Use coarse spray droplets.

BROADLEAF WEEDS/HOW MUCH TO USE (Spot-Spraying): To spray small areas or individual weeds, do not use a hose-end sprayer. Mix 1 oz. (2 tbsp.) in a half-gallon of water in pressure sprayer, and spray as required, being certain to "wet" each weed.

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Manufactured By
PRATT-GABRIEL DIVISION
 Miller Chemical & Fertilizer Corporation
 Hanover, Pennsylvania 17331/An Alco Standard Company
 112M MP