

CO-OP BARN & LIVESTOCK AREA DISINFECTANT

DISINFECTANT - DEODORANT

- KILLS:**
- Many disease germs in stables, pens
 - Objectional odors in outhouses

ACTIVE INGREDIENTS:

Coal Tar Phenols	16%
Neutral Coal Tar Oils	54%
Soap	17%

INERT INGREDIENT:

Water	13%
-------------	-----

TOTAL 100%

Phenol Co-efficient—6.0 A.O.A.C. Method

This is an excellent disinfectant to kill many germs that contaminate sheep pens, dog kennels, dairy barns, hog houses and poultry houses. Use it periodically as a part of good sanitation practices. Use it thoroughly after disease out-break, to control the spread of disease germs in the stables and in clean-up after removal of diseased animals.

DIRECTION FOR USE

"Not For Use Or Storage In Or Around The Home."

Remove all livestock and poultry from buildings to be treated with the disinfectant. Remove all litter or bedding and clean building thoroughly. Thoroughly clean and protect all equipment, including feeders or waterers. When feeding and watering equipment is disinfected, rinse equipment thoroughly with potable water. Apply disinfectant only at the recommended rate. Ventilate building and do not house poultry or livestock until treatment has been absorbed, set or dried. Do not make any disinfectant applications when animals are in the building. Do not use in milk rooms and milking parlors.

Disinfect Stables — Hog houses, dog kennels, sheep pens, poultry houses and dairy barns — Mix 1 quart CO-OP Disinfectant with 30 gallons water and apply with sprinkling can, sprayer or brush to reach all surfaces of floors, walls and other areas to be disinfected. On disease clean-up programs, be sure that ALL stable surfaces contacted by livestock are thoroughly cleaned and disinfected.



ACTIVE INGREDIENTS:	
Coal Tar Phenols	16%
Neutral Coal Tar Oils	54%
Soap	17%
INERT INGREDIENT:	
Water	13%
TOTAL	100%
Phenol Co-efficient—6.0 A.O.A.C. Method	

This is an excellent disinfectant to kill many germs that contaminate sheep pens, dog kennels, dairy barns, hog houses and poultry houses. Use it periodically as a part of good sanitation practices. Use it thoroughly after disease out-break, to control the spread of disease germs in the stables and in clean-up after removal of diseased animals.


DIRECTION FOR USE

“Not For Use Or Storage In Or Around The Home.”

Remove all livestock and poultry from buildings to be treated with the disinfectant. Remove all litter or bedding and clean building thoroughly. Thoroughly clean and protect all equipment, including feeders or waterers. When feeding and watering equipment is disinfected, rinse equipment thoroughly with potable water. Apply disinfectant only at the recommended rate. Ventilate building and do not house poultry or livestock until treatment has been absorbed, set or dried. Do not make any disinfectant applications when animals are in the building. Do not use in milk rooms and milking parlors. **Disinfect Stables** — Hog houses, dog kennels, sheep pens, poultry houses and dairy barns — Mix 1 quart CO-OP Disinfectant with 30 gallons water and apply with sprinkling can, sprayer or brush to reach all surfaces of floors, walls and other areas to be disinfected. On disease clean-up programs, be sure that ALL stable surfaces contacted by livestock are thoroughly cleaned and disinfected.

For Deodorization of Outhouses and Sanitary Closets — Place ½ pint of CO-OP Disinfectant in the pail and add 7½ gallons water and apply.

For Sinks and Urinals — Disinfect with a mixture of 2 tablespoons in 1 gallon water.



WARNING: KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN

May produce severe burns. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Keep away from children, domestic animals and foodstuffs.

Rinse empty container thoroughly with water and discard it.

E.P.A. Registration No. 912-28

NET CONTENTS GAL.



FARMERS UNION
Central Exchange
INCORPORATED
 ST. PAUL, MINN 55101

