



BRAND

Rose Dust

Insecticide / Fungicide / Dust

ACCEPTED
JAN 20 1972
FEDERAL INSECTICIDE
& RODENTICIDE ACT
FOR FEDERAL TOXIC POISON REGISTER
EP UNDER NO.

DUST GUN DIRECTIONS

CONTROLS INSECTS AND DISEASES

INSECTS CONTROLLED: Aphids, Red Spider Mites, Blister Beetles, Cucumber Beetles, Flea Beetles, Lace Bugs, Lygus Bugs, Rose Slugs, Thrips, Green House Leaf Tier, Imported Cabbage Worm, Cabbage Looper, and Diamond Backed Moth Caterpillar.

DISEASES CONTROLLED: Black Spot, Powdery Mildew, and Leaf Spot.

DUST MAY BE APPLIED TO: Roses, Carnations, Gladioli, Hollyhocks, Lilies, Dahlias, Snapdragons, Violets, Geraniums, Pansies, Zinnias, Chrysanthemums and Phlox.

DUSTING—Best results will be obtained when dust is applied in early morning when dew is on or late afternoon when air is still and plants are not exposed to hot sun. Apply to foliage and flowers uniformly making sure to leave a deposit of dust on both upper and lower surfaces of the plant. Dust should be applied as needed for control such as once or twice a week. Applications should start early in spring.

———— CUT ON THIS LINE ————

NOTE—All new growing foliage and

ACTIVE INGREDIENTS:

*Methoxychlor, technical.	3.00%
Malathion (O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate	4.00%
Folpet (N-(Trichloromethylthio) phthalimide**).	7.50%
INERT INGREDIENTS.	85.50%
TOTAL	100.00%

*Equivalent to 2.64% 2,2 - bis (p-methoxyphenyl)
-1, 1, 1 - trichloroethane and .36% other isomers
and related compounds.

**Phaltan

NET CONTENTS 10 OUNCES

E.P.A. Reg. No. 912-55

CAUTION: Keep Out of Reach of Children
See Side Panel for Additional Cautions

**CONTROLS
INSECTS
and
DISEASES**

applications, is often as twice weekly, will be necessary to prevent disease build up during rainy or high humidity periods.

CAUTION: Harmful if swallowed. Avoid breathing of dust or spray mist. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Avoid storage near feed and food products. Keep out of reach of children.

Do not use within two weeks of an oil spray treatment. Do not apply when temperature is over 85 degrees Fahrenheit or when foliage is wet.

Avoid use of this product on certain ferns including Boston, Maidenhair and Pteris, as well as some species of Crassula.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Packed for:
GENEX, INC.
So. St. Paul, Minnesota

CO 100 OP