




**DIRECTIONS FOR USE**  
Read Carefully—Directions on Use,  
Precautions, First Aid, and First Aid Statement Before Use.

**VEGETABLES**

**TOMATOES**—To control red spiders and aphids, add 1/2 tablespoon per gallon of water and thoroughly spray plants as needed for insect control. Make no application on Tomatoes later than one day before harvest.

**BEANS (Lima, Green, Snap and String)**—To control Mexican bean beetle, aphids, leafhoppers and red spiders, mix 1 tablespoon per gallon of water and spray plants thoroughly when insects first appear. Make two or more applications as needed for control. Make no applications on beans later than one day before harvest.

**POTATOES**—For aphids, leafhoppers and mealy bugs, mix 1/2 tablespoon per gallon of water and spray foliage thoroughly as insects appear. Repeat as needed for control.

**CABBAGE, BROCCOLI, KALE, MUSTARD, TURNIPS**—For control of aphids, imported cabbage worms and cabbage loopers, add 1/2 tablespoon per 1 gallon of water, making full coverage to plants, repeating as necessary. Make no application to cabbage, kale and mustard within 7 days of harvest or to broccoli and turnips within 3 days of harvest.

**FLOWERS, ORNAMENTALS AND SHRUBS**

For control of aphids, mealy bugs, spider mites, white flies, four-lined plant bugs, Japanese beetle adults, potato leafhoppers, striped plant bugs, the psyllid leafhoppers, European pine shoot moth and sawfly scots, use 1/2 tablespoon per gallon of water. Apply when insects are first seen on ornamental plants and repeat as needed. For insects such as cypress scale, euonymus scale, oak kermes, larch scale and canker scale, use 1/2 tablespoon per gallon and apply when scale crawlers have settled on foliage. Make thorough coverage application and repeat as necessary. Due to possible injury, do not use on certain trees or shrubs. Baiting made by and pines, spruce, some pines, and cypresses and plants, junipers.

Label Code No. 71-173



**CYTHON® 50%**

The Premium Grade Malathion

**INSECTICIDE**

EMULSIFIABLE CONCENTRATE  
FOR: GARDENS • SHRUBS • CROPS  
POULTRY • BARN • YARDS

8 Oz. Makes up to 16 Gal. of Spray

**ACTIVE INGREDIENTS:**

Malathion\* 50%  
Xylene 44%

**INERT INGREDIENTS** 6%  
**TOTAL** 100%

\*C.O.-dimethyl dithiophosphate of diethyl mercaptosuccinate

© Trademark of American Cyanamid Co.

**CAUTION** Keep Out of Reach of Children  
See Side Panels for Additional Warnings

CONTENTS 8 OUNCES

E.P.A. Reg. No. 912-71

Packed for

Farmers Union Central Exchange, Inc.

Saint Paul, Minnesota 55165

For bagworms or Juniper and Arborvitae, use at the same rate as for aphids and apply when insects are first seen on foliage. Repeat spray as needed.

**LIVESTOCK**

**POULTRY**—To control lice, mites, fowl ticks, etc., mix 8 ounces Malathion with 1 1/2 gallons water and spray the clean roosts, nests, floors and walls of the building. Remove poultry during application. Supply clean bedding after spraying.

**FLEAS AND LICE ON DOGS**—Mix 1 oz. Malathion with 1 gallon water and apply to wet the animal thoroughly. Spray the kennel or pen, yard and lawn using 8 ounces Malathion in 1 1/2 gallons water. Apply 1 gallon spray per 1000 sq. ft. Repeat in 2 to 3 weeks if necessary.

**BARN**

**FLY AND MOSQUITO CONTROL**—For use in and around dairy barns, stables and meat processing plants, mix 8 ounces Malathion with 3 gallons water and apply spray at 1 gallon per 1000 sq. ft. Respray at 3 to 4 week intervals during fly season. Do not use in milk rooms or where edible products are handled.

**OUTDOOR AREAS**

**OUTDOOR MOSQUITO CONTROL**—Mix 8 ounces Malathion with 1 1/2 gallons water and apply as a fog spray to the area to be protected.

**LAWN**

**LAWN AREAS to control clover mites**—Mix 8 ounces Malathion in 1 1/2 gallons water and spray area at 20 to 40 feet around the home and foundation walls. Respray in 10 and 20 days. Three applications are necessary for control.

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or dust. Avoid getting in eyes, on skin, or on clothing. Wash thoroughly with soap and water. Change clothing immediately and wash before re-use. Destroy containers completely when empty, do not reuse. Avoid contamination of food or foodstuffs. Keep away from children and domestic animals.

**WARNING - FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME**