

Directions for use on turf

Use Greenhouse Lawn and Ornamental Plant Insecticide to control chinch bugs, sod webworms, lawn beetles, ants, brown dog ticks, crickets, cutworms, earwigs, and grasshoppers infesting home lawns and other ornamental and recreational turf grass areas. Mix Greenhouse Lawn and Ornamental Plant Insecticide with water according to directions given in the following table and apply as a coarse (large droplet) spray using a low-pressure sprayer such as a knapsack type, hose-attached applicator or other similar equipment. For best results the lawn should be moist at time of application and care should be taken to obtain complete and uniform coverage of pest-infested areas. Spray when pests first appear; re-treat when needed.

Dosage and dilutions for use on turf		
Area to be treated	Amount* of Greenhouse Lawn and Ornamental Plant Insecticide	Dilute with water to give
500 sq. ft.	¾ fl. oz. (1½ tablespoons)	15 gallons
1,000 sq. ft.	1½ fl. oz. (3 tablespoons)	30 gallons
5,000 sq. ft.	7½ fl. oz. (15 tablespoons)	150 gallons
10,700 sq. ft.	1 pint	325 gallons
One Acre	2 quarts	1,300 gallons
*1 fluid ounce	2 tablespoons	6 teaspoonfuls

To control *Hyperodes* (turfgrass) weevils use twice the amount of Greenhouse Lawn and Ornamental Plant Insecticide shown in the above table, i.e. 1 gallon diluted in 1,300 gallons of water per acre. Spray suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

Note: To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use the same dosage and direction recommended for control of these pests on turf as shown in the above table. Apply as a coarse spray to thoroughly and uniformly wet the band area.

Directions for use on ornamental plants

Use Greenhouse Lawn and Ornamental Plant Insecticide to control aphids, bagworms, cutworms, grasshoppers, leafhoppers, mealybugs, mites, spittlebugs, thrips (exposed) and whiteflies on flowers, shrubs, vines, shade and flowering trees, and evergreens found to be infested with these pests. Dilute Greenhouse Lawn and Ornamental Plant Insecticide with water according to directions given in the following table, use other side panel, and apply using a suitable low-pressure sprayer such as a knapsack type or hose-attached applicator in a manner to provide complete and uniform coverage of infested plants. Avoid over-spraying to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals if needed. Note: do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

Greenhouse BRAND Lawn and Ornamental Plant Insecticide

Controls pests of Turf (Chinch Bugs, Sod Webworms, Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Grasshoppers, Hyperodes Weevils) and Ornamental Plants (Aphids, Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Exposed Thrips, Whiteflies).

Note: Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

Warning: Keep children and pets off treated areas until spray has dried.

Active ingredients:	
Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	22.4%
Aromatic petroleum derivative solvent	42.1%
Inert ingredients:	35.5%
Total	100.0%

Contains 2 pounds of chlorpyrifos per gallon

WARNING: Keep out of reach of children
May be fatal if swallowed • May be absorbed through skin • May be injurious to eyes and skin • Combustible

Net Contents

U.S. Patent No. 3,244,586
Distributed by
FARMERS UNION CENTRAL EXCHANGE, INC., St. Paul, Minnesota 55165

Pests controlled	Amount of Greenhouse Lawn and Ornamental Plant Insecticide in Water to Make		
	3 gallons	10 gallons	100 gallons
Aphids Bagworms Grasshoppers Mites Spittlebugs Whiteflies	0.5 fl. oz. (1 tablespoon)	1.6 fl. oz. (3 tablespoons)	16 fl. oz.* (1 pint)
Cutworms Mealybugs Leafhoppers Thrips (exposed)	1 fl. oz. (2 tablespoons)	3.2 fl. oz. (6 tablespoons)	32 fl. oz.* (1 quart)

*Equivalent to 4 ounces of chlorpyrifos per 100 gallons
**Equivalent to 8 ounces of chlorpyrifos per 100 gallons


Warning
• Do not spray vegetable gardens or other plants used for food purposes
• Do not take internally • Do not get in eyes or on skin
Do not smoke while using • Wash thoroughly after handling
Wash contaminated clothing before re-use
Flush contaminated eyes with plenty of water and get prompt medical attention
Avoid breathing vapors and spray mist
Keep away from food, feedstuffs and domestic water supply
Keep container closed
Handle concentrate in a ventilated area

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Container and Waste Disposal: Do not reuse empty container. Rinse with water and discard in a safe place, preferably by burying in a location away from domestic water supplies. Bury unused chemical and spray mixture, as well as rinse water, in same manner as container.

Do not use, pour, spill or store near heat or open flame
E.P.A. Registration No. 912-74
LCN: 74-373



Greenhouse

BRAND

Lawn and Ornamental Plant Insecticide

Controls pests of Turf (Chinch Bugs, Sod Webworms, Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Grasshoppers, Hyperodes Weevils) and Ornamental Plants (Aphids, Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Exposed Thrips, Whiteflies).

Note:

Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

Warning: Keep children and pets off treated areas until spray has dried.

Active ingredients:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 22.4%
Aromatic petroleum derivative solvent 42.1%
Inert ingredients: 35.5%
Total 100.0%

Contains 2 pounds of chlorpyrifos per gallon

WARNING: Keep out of reach of children

May be fatal if swallowed • May be absorbed through skin • May be injurious to eyes and skin • Combustible

Net Contents

U.S. Patent No. 3,244,586

Distributed by

FARMERS UNION CENTRAL EXCHANGE, INC., St. Paul, Minnesota 55165

Dosage and dilutions for use on ornamental plants

Pests controlled	Amount of Greenhouse Lawn and Ornamental Plant Insecticide in Water to Make		
	3 gallons	10 gallons	100 gallons
Aphids Bagworms Grasshoppers Mites Spittlebugs Whiteflies	0.5 fl. oz. (1 tablespoon)	1.6 fl. oz. (3 tablespoons)	16 fl. oz.* (1 pint)
Cutworms Mealybugs Leafhoppers Thrips (exposed)	1 fl. oz. (2 tablespoons)	3.2 fl. oz. (6 tablespoons)	32 fl. oz.** (1 quart)

*Equivalent to 4 ounces of chlorpyrifos per 100 gallons

**Equivalent to 8 ounces of chlorpyrifos per 100 gallons

Warning

- Do not spray vegetable gardens or other plants used for food purposes
- Do not take internally • Do not get in eyes or on skin
- Do not smoke while using • Wash thoroughly after handling
- Wash contaminated clothing before re-use
- Flush contaminated eyes with plenty of water and get prompt medical attention
- Avoid breathing vapors and spray mist
- Keep away from food, feedstuffs and domestic water supplies
- Keep container closed
- Handle concentrate in a ventilated area

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Container and Waste Disposal: Do not reuse empty container. Rinse with water and dry and in a safe place, preferably by burying in a location away from domestic water supplies. Bury unused chemical and spray mixture as well as rinse wastes in same manner as container.

Do not use, pour, spill or store near heat or open flame

E.P.A. Registration No. 912-74

LCN: 74-373

