

ACCEPTED

May 25 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR THE REGISTERED USE
ED. US. 100-100-100

HOSPITAL
TYPE
**IMPROVED
KLENI-TOL**
BOWL CLEANSE TRADE
MARK
PHENOL COEFFICIENT 6
(S. TYPHOSA)
**CLEANS DEODORIZES
DISINFECTS**

ACTIVE INGREDIENTS:

N-alkyl (C12 40%, C14 50%, C16 10%) dimethyl benzyl ammonium chlorides	.05%
Tributyl tin chloride complex of ethylene oxide condensate of abietyl amine (metallic tin = .0015%)	.01%
Hydrogen chloride	28.00%
INERT INGREDIENTS:	71.94%

DANGER • POISON

KEEP OUT OF REACH OF CHILDREN

See Antidote and Other Warnings on Back Panel.



DO NOT BREATHE VAPOR OR
FUMES. DO NOT GET IN EYES,
ON SKIN, OR ON CLOTHING.
USDA REG. NO. 915-2

DIRECTIONS
FOR CLEANING AND DIS-
INFECTING TOILET BOWLS
AND URINALS.

REMOVE WATER FROM BOWL
FORCING IT OVER THE TRAP WITH
SWAB MOP. THEN PRESS SWAB
MOP AGAINST INSIDE OF BOWL
TO REMOVE WATER. HOLD BOTTLE
OVER BOWL AND SATURATE SWAB
WITH BOWL CLEANER. SWAB
BOWL THOROUGHLY. IT IS MOST
IMPORTANT TO SWAB UNDER RIM
OF BOWL TO CLEAN WATER OUT-
LETS. THEN FLUSH TOILET AND
RINSE SWAB MOP. TO DISINFECT
AFTER BOWL HAS BEEN CLEANED
AND FLUSHED, POUR 2 TO 4
OUNCES OF CLEANER INTO THE
WATER REMAINING IN BOWL.
SWAB ENTIRE BOWL, SEAT AND
COVER THEN FLUSH WELL.

ANTIDOTE: EXTERNAL — WIPE
OFF THE ACID GENTLY, IM-
MEDIATELY FLOOD SURFACE
WITH WATER USING SOAP
FREELY, THEN COVER WITH
MOIST BAKING SODA OR
MAGNESIA.

INTERNAL — DRINK A TEA-
SPOONFUL MAGNESIA,
CHALK, WHITING OR WALL
PLASTER, OR SMALL PIECES
OF SOAP SOFTENED IN MILK
OR RAW EGG WHITES.

EYES: FLUSH THOROUGHLY
WITH WATER. CALL PHYSICIAN.
BACTERICIDAL—FUNGICIDAL—
CONTAINS
INHIBITOR TO PROTECT PLUMB-
ING. WILL NOT HARM SEPTIC
TANK ACTION.

ONE QUART

TUBERCULOCIDAL

SOLD BY

TOLEDO UNITED LABORATORIES
TOLEDO, OHIO

Cameraman's Note

Poor Copy