

aug 31 1978
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR LISTING IN POISON REGISTER
EPA REG. NO. 923-8 SUBJECT
TO ATTACHED COMMENTS



This insecticide contains Sodium Fluoride which is highly toxic and must be used with care pursuant to the directions. **MAYBE FATAL IF SWALLOWED.**

ANTIDOTE

Call a doctor, give an emetic (make vomit) drink. Mustard or Ipecac. Doctor should use stomach pump. Lime water may be used to render fluorine insoluble.

Do not use in edible products areas of food processing plants, restaurants or other areas, where food is commercially prepared or processed.

Do not use in serving areas, while food is exposed.

"ROCHEK"

ROACH POWDER

Active Ingredients	
Sodium Fluoride.....	39.00%
Inert Ingredients.....	61.00%
	<hr/>
	Total 100.00%

WARNING

**KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS**
**DO NOT CONTAMINATE
FEED and FOODSTUFFS**
DO NOT BREATHE DUST
(See other warnings on side panel)



LABORATORY
FOURTH & PROSPECT AVENUES
Brooklyn 15, N. Y. HYacinth 9-1800

World-Wide Building
117 Walt Whitman Road
Huntington Station, N. Y.
AR 1-3666

DIRECTIONS:

ROACHES, ANTS, WATERBUGS, AND SILVERFISH: Use as a spot application on infested surfaces behind sinks, refrigerators, stoves, cabinets, and other areas not accessible to children and pets. Dust may also be applied to cracks and crevices in areas not accessible to children and pets. Any powder visible after application is completed, should be carefully brushed into cracks and crevices, or else removed.

Do not allow powder to become wet. One application should be sufficient used as directed.

DO NOT RE-USE THIS CONTAINER: Completely empty the contents and dispose of the unused product so that there is no possibility of contamination of feed, food, or water supplies. Crush the empty container and dispose of it in a similarly safe manner.

EPA Reg. No. 923-8

NET WT. 1 LB.