

FARM MADE

VET. PAINT

— FOR EXTERNAL USE ONLY —

FOR EXTERNAL USE ON HORSES AND MULES
FOR SCREW WORM CONTROL IT IS ESPECIALLY EFFECTIVE

DIRECTIONS

FOR SCREW WORMS—Apply with brush and swab thoroughly to screw worm-infested pockets and outside margins. A second application may be about 48 hours later. Under average conditions regular treatments are then made at about 5-day intervals until the wound is healed.

FOR SUPERFICIAL WOUNDS, CUTS or BRUISES—When the skin is broken or torn, apply a thin coating of VET. PAINT over and extending an inch beyond the edges. It is an excellent antiseptic and one application is often sufficient to prevent blow-flies from doing any damage and to prevent screwworms infesting the wound. Its action usually continues for several days. Repeat if necessary.

WARNING:

Keep out of reach of children

Harmful if swallowed. Avoid contact with eyes, skin, mucous membranes and clothing. Avoid breathing of vapor. Avoid contamination of feed and foodstuffs. Do not apply to large areas of body. Do not apply at all on cats. Discontinue if irritation of skin develops. In case of deep or puncture wounds consult Veterinarian.

ACTIVE INGREDIENTS 100% W/W

Pine Tar Oil	62.6%	Resin Oil	4.0%
No. 1 Refined Cresote Oil	30.7%	Oil of Eucalyptus	0.2%
Cedar Leaf Oil	2.5%	TOTAL	100.0%

USDA Reg. No. 931-8

NET CONTENTS

128 FLUID OUNCES (ONE GALLON)

Prepared for

KANSAS CITY VACCINE CO.

STOCK YARDS - KANSAS CITY, MO.

64102

ACCEPTED

MAY 20 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 931-8 SUBJECT
TO ATTACHED COMMENTS.