

PM 25 735-34

1042

FOR REFORMULATION USE ONLY INTO PESTICIDE FORMULATIONS

OxyChem®

SODIUM CHLORATE CRYSTAL AG


Active Ingredient:	Sodium Chlorate (NaClO ₃).....	99.7 %
Inert Ingredients:	0.3 %
TOTAL		100 %

WARNING

**KEEP OUT OF REACH OF CHILDREN
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

STATEMENT OF HAZARDS:

**MAY BE FATAL IF SWALLOWED
STRONG OXIDIZER
CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE
MAY CAUSE IRRITATION BY ALL ROUTES OF EXPOSURE**



PRECAUTIONARY STATEMENTS:

- Keep container closed except when transferring material.
- Do not get in eyes, on skin, on clothing.
- Use goggles, face shield and rubber shoes.
- Wear protective clothing and gloves made of vinyl, neoprene or rubber.
- Wash thoroughly after handling.
- Store separate from metals, acids, and easily ignitable substances. Dike and vent storage tanks.
- Do not allow entry to sewers, irrigation waters or waterways.
- Do not smoke in any sodium chlorate area.
- Organic materials impregnated with sodium chlorate become dangerously combustible when dry and may be ignited by friction or heat.
- Do not allow animals to feed on areas treated with Sodium Chlorate until after a rain. Ingestion of relatively large amounts may be fatal.
- Do not apply where product may be washed or leach to roots of desirable plants.
- Use only metal containers for handling Sodium Chlorate and solutions.
- Thoroughly wash utensils and equipment after making applications of Sodium Chlorate.

STATEMENT OF PRACTICAL TREATMENT:

FIRST AID:

- If contact with the eyes occurs, immediately flush eyes with plenty of water, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. GET MEDICAL ATTENTION.
- If contact with skin occurs, wash thoroughly with soap and water. Wash clothing before reuse, discard non-rubber shoes. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.
- If inhaled, if symptoms develop, get person out of contaminated area to fresh air.
- If swallowed, NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have patient drink several glasses of water, then induce vomiting by having patient tickle back of throat with finger. Keep airway clear. GET MEDICAL ATTENTION IMMEDIATELY.

BEST AVAILABLE COPY

2012

**FOR REFORMULATION USE ONLY INTO PESTICIDE
FORMULATIONS**

OxyChem®

SODIUM CHLORATE CRYSTAL AG

DIRECTIONS:

It is a violation of Federal Law to use this products in a manner inconsistent with this labeling.

HOW, WHEN, AND RATE TO APPLY: Consult product brochure from manufacturer. Formulators are required to obtain EPA Registration for their own pesticide products in which this material is used.

STORAGE AND DISPOSAL:

Avoid contamination of feed and food stuffs.
Product should be completely removed from this container.
Do not store in direct contact with ground or concrete floors.
Do not reuse empty containers.
Material that cannot be used or chemically reprocessed should be disposed of in a manner meeting government regulations.
Open burning and dumping of this product is prohibited.
Do not contaminate water, food, or feed by storage or disposal.

ENVIRONMENTAL HAZARDS:

Sodium Chlorate is not selective in its action; its presence in the soil will destroy germinating seed and inhibit plant growth. This toxic effect is temporary but may persist for approximately one year or longer; duration will vary with rate of application, soil type, fertility level, organic matter content, soil moisture, and soil temperature. This product is toxic to fish and wildlife. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS:

Sodium Chlorate, alone, does not burn. However, organic matter, including clothes, shoes, wood and dead vegetation impregnated with it may become dangerously flammable when dry. When Sodium Chlorate is applied as an aqueous spray, the clothing of the applicator is very likely to become contaminated. Unless contaminated clothing is washed immediately, it will be dangerously flammable upon drying. Do not burn the treated area; burning will reduce the killing effect. Do not apply Sodium Chlorate near valuable plants. Local conditions affect the use of herbicides. Agricultural experiment station or extension service weed specialists in the State issue recommendations to fit local conditions and their recommendations should be followed with OxyChem Sodium Chlorate Crystal.

HMS RATING SYSTEM: HEALTH 2 FLAMMABILITY 0 REACTIVITY 3

BEFORE USING THIS PRODUCT, CAREFULLY READ THE "WARNING" SECTION OF THIS LABEL.

MANUFACTURED BY
OCCIDENTAL CHEMICAL CORPORATION
PO BOX 344 NIAGARA FALLS, NY 14302

EPA REG. No. 735-34

EPA EST. NO. 955-LA-1
EPA EST. NO. 87379-CN-02
EPA EST. NO. 87379-CN-01
EPA EST. NO. 87379-TX-1

BEST AVAILABLE COPY