



# WARNING

KEEP AWAY from FEED or FOOD PRODUCTS

# POISON

## CAUTION—DO NOT DROP

IF  
LEAKING

# DON'T

BREATHE FUMES  
TOUCH CONTENTS  
SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Interstate Commerce Commission.

SHIPPERS NAME REQUIRED  
HEREON FOR SHIP-  
MENTS BY  
EXRESS

5 1967  
2-77

For Use in Mills, Warehouses, Box Cars,  
Fumigation Vaults,  
Flat or Upright Bulk Grain Storages.

## FUMIGATION PROCEDURE

Consult E. H. Leitte Company for information on procedures, specific uses, dosages, safety equipment and precautions. This information is too varied and extensive for full description on label.

**INSECTS CONTROLLED:** All stored product insects including bran bugs, grain beetle, granary weevil, rice weevil, cadelles, mites, mealworms. Kills insects in all life stages. Kills rodents.

**RATE OF APPLICATION:** For space fumigation the usual rate is 1 to 3 pounds for each 1000 cu. ft. of space for an exposure of 16 to 24 hours.

Usual Bulk Grain Fumigation Rates	
Shelled corn	2 lbs./1000 cu. ft.
Wheat, barley, rye, oats, rice	3 lbs./1000 cu. ft.
Grain sorghum (milo)	4 lbs./1000 cu. ft.

**CAUTION:** Wear a full face gas mask (black canister) meeting specifications of the U. S. Bureau of Mines for organic vapors when releasing gas in buildings. Do not wear gloves. Thoroughly aerate buildings after fumigation.

pounds. To avoid corrosion damage, extinguish all flame and turn off glowing wire heaters.

## DANGER

VAPOR EXTREMELY HAZARDOUS  
HIGHLY VOLATILE • CAUSES BURNS

**WARNING:** ~~Can be fatal if inhaled~~ <sup>Poisonous Liquid & Vapor.</sup> Do not breathe vapor. Do not get in eyes, on skin or on clothing. Severe burns can be caused by contact. Keep away from heat. Keep container closed. Use only according to directions with approved gas mask.

• • •

**IN CASE OF CONTACT:** Wash skin thoroughly with soap and water and flush eyes with water for at least 15 minutes. Get medical attention immediately in all cases. If liquid is spilled on shoes or clothing, remove them immediately and thoroughly aerate before reuse.

 **POISON** 

### FIRST AID TREATMENT—ANTIDOTE

Remove patient to fresh air. Keep lying down and warm. Use artificial respiration if breathing has stopped. CALL A DOCTOR IMMEDIATELY. Use oxygen inhalator only at doctor's direction.

Net Contents \_\_\_\_\_



ACCEPTED

MAY 25 1967

FUMIGANT

939-25

ACTIVE INGREDIENT:  
Methyl Bromide ----- 100%

NO  
COR  
RISK

**CAUTION**  
KEEP OUT OF  
REACH OF CHILDREN

implied,  
uses all  
ordance

Packaged By  
E. H. LEITTE COMPANY  
Lake Elmo, Minnesota

**NY**

MADE IN U. S. A.

Reg. No. 939-22

PRINTED IN U.S.A.