

Sample to Size - 16oz

# BARBICIDE

Trade Mark Registered

The Tested  
**DISINFECTANT  
FUNGICIDE  
AND VIRUCIDE\***

**Anti-Rust Formula**

Kills HIV-1  
(Aids Virus)

**ACTIVE INGREDIENT:**  
Allyl (50% C<sub>12</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium  
chloride ..... 3.12%

**INERT INGREDIENTS** ..... 94.88%  
(Contains sodium nitrite)

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT:**  
If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately. If on skin, immediately wash with plenty of water for at least 15 minutes. If in eyes, immediately wash with water for 15 minutes and call a physician. On clothing, remove and wash contaminated clothing before reuse.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY  
STATEMENTS

A PRODUCT OF



MFG. BY KING RESEARCH, INC.  
Brooklyn, NY 11215

EPA Registration No. 954-11 AA  
EPA Establishment No. 954 NY-1

**Net Contents 16 Fl. Oz. 473 ML**  
Printed in USA

**KILLS HIV-1 (AIDS VIRUS)  
ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.**

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS:** On-pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surface wet for 10 minutes.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES EYE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WEAR EYE PROTECTION AND RUBBER GLOVES WHEN HANDLING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.**

**STORAGE AND DISPOSAL**

- Do not contaminate water or food by storage or disposal.
- Do not store on side.
- Avoid crossing or impacting of side walls

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of resin is a violation of Federal Law. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL**

Do not reuse empty container. Wrap container and put in trash.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. BARBICIDE is recommended for use in beauty shops, barber shops and hairdressing establishments. Mix 4 ounces (120 ml) of BARBICIDE in a gallon of water, or 1 ounce (30 ml) in a quart of water. This makes 1600 ppm active product. Fresh solution should be prepared daily or more often if solution becomes diluted or soiled. DRAIN only as needed.

**INSTRUMENTS AND TOOLS:** Completely immerse cleaned brushes, combs, rollers, manicure and other shop tools for 10 minutes (or as required by local authorities).

**PERFORMANCE:** When tested with full immersion for 10 minutes in a solution created as above, BARBICIDE has been found to be effective as a disinfectant, as a fungicide (against *Trichophyton mentagrophytes*), and as a virucide (against Hepatitis Type 1 and Type 2), and Human Immunodeficiency Virus Type I (HIV-I) (AIDS Virus).

**ACCEPTED**  
**AUG 28 1992**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under 954-11  
EPA Reg. No.

**BEST AVAILABLE COPY**