

**B A R B I C I D E**

The Tested  
**GERMICIDE**  
**PSEUDOMONOCIDE**  
**FUNGICIDE**  
**AND VIRUCIDE**

**Anti-Rust Formula**

**ACTIVE INGREDIENT:**

Alkyl (50%C<sub>14</sub>, 40%C<sub>12</sub>, 10%C<sub>16</sub>)  
dimethyl benzyl ammonium  
chloride ..... 5.12%  
**INERT INGREDIENTS ..... 94.88%**  
(Contains sodium nitrite)

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately. If on skin, immediately flush with plenty of water for at least 10 minutes and call a physician. On clothing, remove and wash contaminated clothing before reuse.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY  
STATEMENTS**

**A PRODUCT OF**

**MFG. BY KING RESEARCH, INC.  
Brooklyn, NY 11215**

EPA Registration No. 954-11AA  
EPA Establishment No. 954-NY-1  
Net Contents 16 Fl. Oz. 473 ml  
Printed in USA

**ACCEPTED**  
**APR 28 1994**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under 954-11  
EPA Reg. No.

**BEST AVAILABLE COPY**

KILLS HIV-1 (AIDS VIRUS) ON  
PRE-CLEANED ENVIRONMENTAL  
SURFACES/OBJECTS PREVIOUSLY  
SOILED WITH BLOOD AND BODY  
FLUIDS.

SPECIAL INSTRUCTIONS FOR  
CLEANING AND DECONTAMINATION  
AGAINST HIV OF  
SURFACES/OBJECTS SOILED WITH  
BLOOD AND BODY FLUIDS.

On pre-cleaned environmental  
surfaces/objects previously  
soiled with blood/body fluids  
in health care settings or  
other settings in which there  
is an expected likelihood of  
soiling of inanimate  
surfaces/objects with blood or  
body fluids in which the  
surfaces/objects likely to be  
soiled with blood or body  
fluids can be associated with  
the potential for transmission  
of HIV.

**PERSONAL PROTECTION**

When handling items soiled  
with blood or body fluids, use  
appropriate barrier protection  
such as disposable latex  
gloves, gowns, masks or eye  
coverings.

**CLEANING PROCEDURE**

Blood and other body fluids  
must be thoroughly cleaned  
from surfaces and objects  
before application of this  
disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS**

Blood and other body fluids should  
be autoclaved and disposed of  
according to Federal, State and  
local regulations for infectious  
waste disposal.

**CONTACT TIME**

Leave surface wet for 10 minutes.

**ACCEPTED**  
**APR 28 1994**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under 954-11  
EPA Reg. No.

**BEST AVAILABLE COPY**

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS

393

DANGER: KEEP OUT OF REACH OF CHILDREN.  
CORROSIVE, CAUSES EYE AND SKIN DAMAGE. DO  
NOT GET IN EYES, ON SKIN OR ON CLOTHING.  
HARMFUL OR FATAL IF SWALLOWED. AVOID  
CONTAMINATION OF FOOD, WEAR EYE PROTECTION  
AND RUBBER GLOVES WHEN HANDLING. WASH  
THOROUGHLY WITH SOAP AND WATER AFTER  
HANDLING. REMOVE CONTAMINATED CLOTHING AND  
WASH BEFORE REUSE.

STORAGE AND DISPOSAL

- Do not contaminate water or food by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Do not reuse empty container. Wrap container and put in trash.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. BARBICIDE is recommended for use in beauty shops, barber shops and hairstyling establishments. Mix 1 ounce BARBICIDE in 32 ounces water. This makes 1600 ppm active product. Hospital Disinfectant: Mix 2 ounces BARBICIDE in 32 ounces water. This makes 3200 ppm active product. Fresh solution should be prepared daily or more often if solution becomes diluted or soiled. Dilute only as needed.

INSTRUMENTS AND TOOLS: Thoroughly clean brushes, combs, rollers, manicure and other salon tools prior to complete immersion for 10 minutes (or as required by local authorities). Rinse to remove BARBICIDE after immersion.

PERFORMANCE: When tested with full immersion for 10 minutes in a solution created as above, BARBICIDE has been found to be effective as a disinfectant, germicide, bactericide, as a fungicide (against Trichophyton mentagrophytes), and as a virucide\* (against Herpes Simplex Type 1 and Type 2) and Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS virus).

ACCEPTED  
APR 28 1994  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under 954-11  
EPA Reg. No.

BEST AVAILABLE COPY