



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

July 24, 2006

Bernard R. King
President
King Research, Inc.
114 12th Street
Brooklyn, NY 11215

Subject: **Spacide**
EPA Registration Number 954-13
Letter Date: July 5, 2006
Receipt Date: July 10, 2006

Dear Mr. King:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with comments.

Proposed Amendment

- Basic confidential statement of formula (CSF) (see CSF dated 6/24/06)

Other Comment

Please note that your labeling must include "Total.....100.00%" in the Ingredient Statement section.

General Comment

The revised basic Confidential of Formula (CSF) dated June 24, 2006 supersedes all previously accepted ones.

Should you have any questions concerning this letter, please contact me at (703) 308-6422 or via email at heyward.adam@epa.gov or Lisa McKelvin at (703) 308-7496 or via email at mckelvin.lisa@epa.gov.

Sincerely,

Lisa McKelvin
Adam Heyward
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510C)

SPA-CIDE®

TUBERCULOCIDAL • PSEUDOMONACIDAL
GERMICIDAL • FUNGICIDAL • VIRUCIDAL*

ACTIVE INGREDIENTS

O-Benzyl-para-chlorophenol	4.75%
O-Phenylphenol	1.64%
INERT INGREDIENTS	93.61%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES: Hold eyelids open and rinse slowly and gently with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net Contents 64 FL.OZ.

1.89 L

*VIRUCIDAL - KILLS HIV-1 (AIDS VIRUS)
ON PRE-CLEANED ENVIRONMENTAL
SURFACES/ OBJECTS PREVIOUSLY
SOILED WITH BLOOD OR BODY FLUIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS.

On pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

PERSONAL PROTECTION

When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE

Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS

Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

CONTACT TIME

Leave surface wet for 10 minutes.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID BREATHING SPRAY MIST. WEAR GOGGLES OR FACE SHIELD (SAFETY GLASSES). WEAR PROTECTIVE CLOTHING (LONG SLEEVE SHIRT AND LONG PANTS, SOCKS, PLUS SHOES AND CHEMICALLY RESISTANT GLOVES SUCH AS WATERPROOF GLOVES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

STORAGE AND DISPOSAL

- Do not contaminate water, food or feed by storage or disposal.
- Store in securely closed original container. Avoid storage at temperature extremes or in sunlight.
- Do not store on side. Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

DISPOSAL - This disinfectant and its solutions or rinsings from empty container should be diluted with water and disposed of in a sanitary sewer or in a landfill approved for pesticides.

CONTAINER DISPOSAL - Do not reuse empty container. Rinse thoroughly, wrap container and put in trash.

A PRODUCT OF
KING
RESEARCH.
Brooklyn, NY USA

EPA Reg. No. 954-13 EPA Est. No. 954-NY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Mix 1 ounce (30 ml) of SPACIDE with 32 ounces (1 liter) of water. Prepare fresh solution daily or more often if the solution becomes diluted or soiled.

SPACIDE is recommended for use on nail implements, scissors, nippers, brushes, and other inanimate hard, non-porous salon tools, and on whirlpool and pedicure baths, floors, sinks, tables, chairs, basins, tubs, counters and other spa and salon inanimate hard non-porous surfaces and equipment. **TOOLS AND IMPLEMENTS:** Thoroughly clean the above tools and implements prior to complete immersion for 10 minutes at room temperature. Rinse to remove SPACIDE after immersion and dry before use. On the above **SURFACES AND EQUIPMENT:** Apply solution prepared as above to pre-cleaned surfaces with a coarse mist pump or trigger sprayer, cloth, mop or sponge so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air-dry. Rinse.

CONFIRMATION: When tested with full immersion for 10 minutes at room temperature in a solution prepared as above, SPACIDE was confirmed effective against *Mycobacterium tuberculosis*, *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Trichophyton mentagrophytes*, *Herpes Simplex Type 1* and *Type 2*, and *Human Immunodeficiency Virus Type 1 (HIV-1) AIDS Virus*.

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUL 24 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 954-13

282