


# BALCOM



APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

Rinse equipment and DISPOSE OF WASTES by burying in non crop land, away from water supplies. Container should be disposed of by burying with wastes. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

**WARNING! --- FLAMMABLE**

**KEEP AWAY FROM HEAT OR OPEN FLAME**

**KEEP CONTAINER CLOSED.**

LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

**DO NOT STORE BELOW 40°F.**

**DO NOT USE UN-DILUTED FORM.**

**DIRECTIONS FOR USE**

*[Faded and mostly illegible text in the directions section]*

OBSERVE THE LABEL FOR PREVENTIVE APPLICATION AND HARVEST.

## ENDRIN EC-20

**INSECTICIDE**

**Danger - - - Poison**



**Keep Out Of Reach of Children**

**ACTIVE INGREDIENTS**

Endrin (Hexachloroepoxyoctahydroendo,endo-dimethanonaphthalene)	10.00
Xylene	70.00
<b>INERT INGREDIENTS</b>	<b>150</b>
<b>TOTAL</b>	<b>150.00</b>

**CONTAINS 1.6 LBS. ENDRIN PER GALLON**

**FIRST AID TREATMENT**

**Antidotes:** If swallowed, do not induce vomiting unless directed by a physician. Do not give anything by mouth to someone who is unconscious. If on skin, wash with plenty of water.

**DANGER**

*[Faded text in the danger section]*

Do not apply when weather conditions drift from area treated.  
Do not contaminate water by cleaning of equipment or disposal of wastes.

NET CONTENTS U.S. GALLONS

EPA REG No 060 175

**BARLEY, OATS, RYE, WHEAT** Armyworms, Corn Cutworms, Chinch Bugs, Climbing Cutworm  
**APPLY A SINGLE APPLICATION** using 1 to 1.5 gal first application. For Chinch Bugs apply either as a spot or a broadcast application. **DO NOT TREAT** VEST. **DO NOT GRAZE LIVESTOCK ON TREATED FEED** NEARING TO LIVESTOCK.

**DEALER SHOULD SELL IN ORIGINAL**

**USAGE CAUTION:** DO NOT ALLOW THIS MATERIAL TO BE USED IN ANY AREA WHERE IT COULD BE A HAZARD TO LIVESTOCK OR WHERE IT COULD BE A HAZARD TO MAN.

**WARNING NOTICE**

*[Faded text in the warning notice section]*

# BALCOM

## ENDRIN EC-20

### INSECTICIDE

### Danger - - - Poison



Keep Out Of Reach of Children

#### ACTIVE INGREDIENTS

Endrin (Hexachlorocyclooctahydroendo-2,3,4,5,6,7,8,9-octachloro-1,2,3,4,5,6,7,8-octahydro-1,4-dimethanonaphthalene) .....	19.50
Xylenol .....	76.00
Other Inert Ingredients .....	4.50
<b>TOTAL</b> .....	<b>100.00</b>

CONTAINS 1.6 LBS. ENDRIN PER GALLON

#### FIRST AID TREATMENT

**Antidotes:** If swallowed, give milk or water to dilute. Do not induce vomiting unless directed to do so by a physician. If inhaled, get victim into fresh air. If on skin, wash with soap and water.

**IF SWALLOWED:** Give milk or water to dilute. Do not induce vomiting unless directed to do so by a physician. If inhaled, get victim into fresh air. If on skin, wash with soap and water.

**DANGER:** This product is extremely toxic to humans and animals. It is a powerful irritant and may cause severe damage to the respiratory system, eyes, and skin. It is also highly flammable and may cause fire or explosion if used improperly.

**WARNING:** Do not use this product in or near buildings, barns, or other structures. Do not use in or near food crops, feedstuffs, or other foodstuffs. Do not use in or near water bodies or other sensitive areas.

**PRECAUTIONS:** Do not use this product in or near buildings, barns, or other structures. Do not use in or near food crops, feedstuffs, or other foodstuffs. Do not use in or near water bodies or other sensitive areas.

**APPLICATION:** This product is applied as a spray or dust. It is most effective when applied to the foliage of the crop being treated. Do not apply when weather conditions drift from area treated.

**STORAGE:** Store this product in a cool, dry place. Do not store in or near foodstuffs or other sensitive areas. Do not store in or near children or pets.

**DISPOSAL:** Do not dispose of this product in or near water bodies or other sensitive areas. Do not dispose in or near foodstuffs or other sensitive areas.

**NET CONTENTS:** 1.6 LBS. ENDRIN PER GALLON

**U.S. GALLON(S):** 1.6

**EPA REG. No. 960-175**

**BARLEY, OATS, RYE, WHEAT, Armyworms, Army Cutworms, Pale Western Cutworms, Chinch Bugs, Climbing Cutworms, and Fall Armyworms**  
**APPLY A SINGLE APPLICATION** using 1 to 1 1/2 pints per acre when insects first appear. For chinch bug, apply either as a barrier strip around the field or as a broadcast application. **DO NOT TREAT WITHIN 45 DAYS OF HARVEST. DO NOT GRAZE LIVESTOCK ON TREATED FORAGE. DO NOT FEED THRESHING TO LIVESTOCK.**

**DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.**

**USAGE CAUTION:** Do not use in or near buildings, barns, or other structures. Do not use in or near food crops, feedstuffs, or other foodstuffs. Do not use in or near water bodies or other sensitive areas. Do not use in or near children or pets.

**WARNING NOTICE:** This product is extremely toxic to humans and animals. It is a powerful irritant and may cause severe damage to the respiratory system, eyes, and skin. It is also highly flammable and may cause fire or explosion if used improperly.

**PRECAUTIONS:** Do not use this product in or near buildings, barns, or other structures. Do not use in or near food crops, feedstuffs, or other foodstuffs. Do not use in or near water bodies or other sensitive areas.

**APPLICATION:** This product is applied as a spray or dust. It is most effective when applied to the foliage of the crop being treated. Do not apply when weather conditions drift from area treated.

**STORAGE:** Store this product in a cool, dry place. Do not store in or near foodstuffs or other sensitive areas. Do not store in or near children or pets.

**DISPOSAL:** Do not dispose of this product in or near water bodies or other sensitive areas. Do not dispose in or near foodstuffs or other sensitive areas.

**NET CONTENTS:** 1.6 LBS. ENDRIN PER GALLON

**U.S. GALLON(S):** 1.6

**EPA REG. No. 960-175**