

CLEAN CROP®

POISON—PRECAUTIONS

POISONOUS IF SWALLOWED


Product can kill you if swallowed. Even small amounts: spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Can be fatal if touched by hands or spilled or on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Vapors, spray mist or dust may be fatal.



STOP! READ THE LABEL



CAN KILL YOU

NOT FOR HOME USE

DANGER
Keep out of reach of children

METHYL PLUS SPRAY CONCENTRATE

FOR EFFECTIVE CONTROL OF COTTON INSECTS

CONTAINS 3/4 LB. GUTHION AND 3 LBS. METHYL PARATHION PER GALLON.

GUARANTEE: Contains 0.75 lb. *O, O*-Dimethyl S-[4-oxo-1, 2, 3-benzotriazin-3(4H)-ylmethyl] phosphorodithioate plus 3.0 lb. *O, O*-Dimethyl *O*-(p-nitrophenyl) phosphorothioate per gallon.

ACTIVE INGREDIENTS:

O, O-Dimethyl S-[4-oxo-1, 2, 3-benzotriazin-3(4H)-ylmethyl] phosphorodithioate* 8.0%
O, O-Dimethyl *O*-(p-nitrophenyl) phosphorothioate* 32.5%
 Xylene 20.5%
 Aromatic Petroleum Distillates 32.0%

INERT INGREDIENTS: 7.0%
TOTAL 100.0%

* U. S. Patent No. 2,758,115

** Methyl Parathion

NET CONTENTS _____ GALLONS

EPA Reg. No. 960-187

DIRECTIONS FOR USE

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using METHYL PLUS Spray Concentrate.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Balcom Chemicals, Inc., and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

MIXING: METHYL PLUS Spray Concentrate forms an emulsion when diluted with water and is suitable for use in all power-operated ground sprayers and aircraft sprayers. To mix with water, pour the required amount of product into full amount of water and then agitate.

DOSAGE: Use specified dosage of the spray concentrate in the amount of water necessary to give complete coverage of foliage. The type of equipment used will determine the concentration required.

SPRAY: For best results make applications in late afternoon and when leaves are dry. Work to windward. Protect sprayer operator from drift or mist. When low volumes of spray are applied, complete coverage and thorough application are essential for most effective results. Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information.

DISPOSAL OF EMPTY CONTAINER

Do not re-use this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burying at least 18 inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18 inches deep in a supervised public or private dump.

POST TREATED AREA

Consult your State Agricultural Experiment Station or Extension Service for timing of applications.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Do Not Store Below 32° F.

RECOMMENDED APPLICATIONS

INSECT	PINTS - METHYL PLUS SC	REMARKS
Cotton leafworm, Cotton flea hopper, Lygus bugs, Fleas	1/2 to 1	For control of fleas, apply before or during the 4- to 6-day life cycle and repeat 7-10 days later.
Rapid plant bug, Tarweed plant bug	1	Apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Aphids, Mites	3-4	For control of late season aphid infestations, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Beet weevil, Grasshoppers, Garden webworm, Fall army worm	1 to 1 1/2	For control of grasshoppers, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Cabbage looper	2 to 4	For control of cabbage looper, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Brown cotton leafworms, Cotton leaf perforator, Green-striped armyworm	1 to 2	For control of cotton leafworms, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Beetworm, Cutworm	2 to 4	For control of beetworms, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.
Field borer	2 to 4	For control of field borers, apply at 200-400 dosage per acre by air or ground spray with adequate water. For ground application, allow spray to completely cover plants but not flow. Do not spray plants if they are wet. Retard and mark equipment.

NOTICE

Balcom Chemicals, Inc., warrants that the material herein is the chemical composition of the product as shown on the label. For the purpose referred to in the directions herein, this product is suitable for use under conditions of use specified on the label. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks of use or handling which may result as a result of use or handling of this product. The seller does not warrant the compatibility of this product with other products, the manner of storage or application, or the presence of other pesticides or materials on the soil or crop. Balcom Chemicals, Inc., makes no other express or implied warranty, of fitness for use or compatibility. The exclusion of liability of the buyer or user, and the limit of the liability of Balcom Chemicals, Inc., shall be as shown on the label. All losses, injuries or damages, resulting from the use or handling of this product, shall be the responsibility of the buyer for the quantity of the product involved. The buyer and seller are deemed to have accepted the terms of this contract, which may not be altered by any verbal or written agreement.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses, **TWO** or **FOUR** mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. **2-PAN**, chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, **STOP** work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.