CLEAN CROP®

SEVIN* 10 DUST

INSECTICIDE

DIRECTIONS FOR USE

Apply [illegible] pests first appear and repeat at 7 to 10 day [illegible] to maintain control. Apply thoroughly [illegible] surfaces. Sevin 10 Dust may [illegible] except where noted.

ASPARAGUS: Asparagus Beetles - Use 10 to [illegible] pounds dust per acre for use on seedlings or spears. Do not [illegible] Allow 7 day between [illegible] and last harvest. Asparagus [illegible] Use 20 to 40 pounds dust per acre. Do not apply within 1 day of harvest.

BEANS: Mexican Bean Beetle - Use [illegible] pounds dust per acre. Bean Leaf Beetle, Leaf [illegible] Velvet Bean Caterpillar, Western [illegible] Use 10 to 20 pounds dust per acre. Armyworms, [illegible] Use 15 pounds of dust per acre.

BEETS: [illegible] Armyworms, [illegible] Use 10 to 20 pounds dust per acre for foliage feeders, apply [illegible] and mites, apply [illegible] dry, thorough [illegible] Do not apply within 7 days of harvest.

BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, COLLARDS, KALE, KOHLRABI, MUSTARD GREENS, TURNIPS: [illegible] Use 10 to 20 pounds dust per acre. Do not apply within 7 days of harvest.

CELERY: Aphids, Leafhoppers, Tarnished Plant Bug - Use 10 pounds dust per acre. Do not apply within 7 days of harvest.

CORN: Armyworms, Corn Earworm, Chinch Bug, Flea Beetle, Grasshoppers, Leafhoppers, Seed Corn Maggot, Wireworms - Use 10 to 20 pounds dust per acre. Do not apply within 7 days of harvest.

COTTON: Aphids, Armyworms, Bollworms, Boll Weevil, Cotton Fleahopper, Flea Beetle, Grasshoppers, Leafhoppers, Plant Bugs, Thrips, Webworms, Whitefly - Use 10 to 20 pounds dust per acre. Do not apply within 14 days of harvest.

CUCUMBERS, MELONS, PUMPKINS, SQUASH: Aphids, Armyworms, Beetles, Cucumber Beetle, Flea Beetle, Leafhoppers, Pickleworm, Squash Bug, Squash Vine Borer, Striped Cucumber Beetle, Thrips - Use 10 to 20 pounds dust per acre. Do not apply within 1 day of harvest.

EGGPLANT, PEPPER, POTATO, TOMATO: Colorado Potato Beetle, Flea Beetle, Leafhopper - Use 5 to 10 pounds dust per acre. Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Stink Bugs - Use 10 to 20 pounds dust per acre. Do not apply within 1 day of harvest.

FIELD CLOVERS, COWPEAS, SOYBEANS, PEANUTS: Blister Beetle, Mexican Bean Beetle - Use 5 to 10 pounds dust per acre. Alfalfa Caterpillar, Green Cloverworm, Leafhoppers, Thrips, Velvet Bean Caterpillar - Use 10 pounds of dust per acre. Armyworms, Stink Bugs, Webworms - Use 10 to 15 pounds of dust per acre. Some leaf injury may occur if applications are made when tender foliage is wet.

FORAGE GRASSES AND PASTURE: Armyworms, Stink Bugs, Thrips - Use 10 to 15 pounds of dust per acre. For optimum thrips control in grasses grown for seed, direct dust into boot

ACTIVE INGREDIENTS:

*Carbaryl (1-Naphthyl N-methylcarbamate)	10.0%
INERT INGREDIENTS:	90.0%
Total	100.0%

*Sevin

* Trademark of Union Carbide Corporation
For the active ingredient carbaryl

CAUTION:
Keep Out of Reach of Children.

HARMFUL IF SWALLOWED OR INHALED. Avoid breathing of dust. Do not take internally. Avoid contact with skin and eyes. Wear regular long sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS DURING APPLICATION OR WHEN CLEANING EQUIPMENT.

NOTE FOR PHYSICIAN: Carbaryl is a moderate to [illegible] cholinesterase inhibitor. Absorption is substantial. Do not use [illegible] gastric lavage or other [illegible] drug.

BEE CAUTION
May Kill Honeybees in Substantial Numbers.

[illegible] BEES exposed to direct treatment or [illegible] residues. Do not [illegible] for obtaining [illegible] or Cooperative Agricultural Extension Service.

Do Not Use when [illegible] Sevin applications in [illegible] than used to control. Do not [illegible] and beekeepers to locate [illegible] beyond bee flight range until one day after application [illegible] other equally effective precautions.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Containers should be disposed of by burying with wastes or by burning. Keep out of smoke.

EPA Reg. No. 960 193
EPA Est. No. 00960 CO 02
NET WEIGHT 50 LBS.

DIRECTIONS FOR USE

SORGHUMS: Armyworms, Corn Earworm, Stink Bug, Webworms - Use 10 to 20 pounds of dust per acre. Sorghum Midge - Use 15 pounds of dust per acre. Direct dust into the forming [illegible] Sorghum Midge, apply 3 to 4 days after heads have emerged from boot. Do not apply within 21 days of harvest of grain. No time limitation on forage.

SUGAR BEETS: Armyworms, Leafhoppers, Webworms - Use 10 to 20 pounds of dust per acre. Do not apply within 14 days of harvest.

STRAWBERRIES: Meadow Spittlebug, Strawberry Leaf Roller, Strawberry Weevil - Use 10 to 20 pounds of dust per acre. Do not apply within 1 day of harvest.

LETTUCE, CARROTS: Flea Beetles, Harlequin Bug, Leafhoppers - Use 10 to 20 pounds of dust per acre. Six-spotted Leafhopper - Use 10 to 15 pounds of dust per acre. Use on a 5 to 7 [illegible] Armyworms, Imported Cabbage Worm, Cutworms, Tarnished Plant Bugs, Stink Bugs - Use 10 to 20 pounds of dust per acre. For optimum control of [illegible] worms after [illegible] to 20 pounds per acre. For [illegible] schedule [illegible] within [illegible] Do not apply within 7 days of harvest.

[illegible] AGAINST PIGEONS, DUCKS, GEESE, TURKEYS, FARM ANIMALS - Rodent Mite, Fleas, Lice, Northern Fowl Mite - ON BIRDS - Use 1/2 pound dust per 100 [illegible] Apply thoroughly by [illegible] Do not apply within 7 days of slaughter. Do not [illegible] feed, drinking water, bedding. Rodent Mite, Fleas - [illegible] AROUND POULTRY HOUSES - Apply 1/2 pound per 40 sq. ft. area of litter or floor space and [illegible] and adjacent areas by means of a shaker can, sprinkler or power duster. Force dust into cracks and crevices. Repeat as necessary. Do not treat nests/eggs. Avoid direct contamination of eggs. Do not house birds in treated houses within 7 days of slaughter.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

NOTICE: Buyer assumes all risk of use, storage, or handling of this product when not in strict accordance with directions given herewith.

BALCOM CHEMICALS, Inc

[illegible] STREET [illegible]