

(FRONT COPY)

Net Weight 20 Pounds

Treats 2000 Sq. Ft.

COUNTRY SQUIRE

PRE-EMERGE CRABGRASS KILLER

Contains Dacthal

ACCEPTED

FEB 27 1967

UNDER THE FEDERAL INSECTICIDE ACT  
PUNISHED AND PENALIZED BY LAW  
FOR ECONOMIC PURPOSES REGISTERED  
ED UNDER NO. 961-205 SUBJECT  
TO ATTACHED COMMENTS.

CAUTION

KEEP OUT OF REACH OF CHILDREN

For additional cautions see back panel

ACTIVE INGREDIENTS:

Dimethyl ester of tetrachloroterephthalic acid\* 2.3%

INERT INGREDIENTS:

97.7%

TOTAL

100.0%

\*Dacthal

U.S.D.A. Reg. No. 961-205

Diamond Alkali Company

Contents licensed under U. S. Pat. No. 2923634

Manufactured for


COUNTRY SQUIRE FERTILIZERS

Farmingdale, L. I., New York

(BACK COPY)

20 lbs. Net - Covers 2000 sq. ft.

COUNTRY SQUIRE  
PRE-EMERGE  
CRABGRASS  
KILLER



Protects your lawn against troublesome, unsightly crabgrass. Kills crabgrass before it begins to grow, and is also effective against annual weeds such as Chickweed, Carpetweed, Foxtail, Lambsquarters, Purslane and Witchgrass.

DIRECTIONS

Apply to established lawns in spring, before crabgrass seed germinates. Correct timing is important, because crabgrass which has already germinated will not be controlled. Apply evenly, with a spreader, at the rate of 10 lbs. per 1000 sq. ft. Treated area should be watered after application, if no rain falls within one week. If re-seeding treated area is necessary, wait at least 60 days after application.

DO NOT APPLY TO NEWLY SEEDED LAWNS UNTIL SEED OF DESIRED GRASSES HAS GERMINATED, AND LAWN IS COMPLETELY GREEN. Do not use on Dichondra lawns.

Approximate Spreader Settings:

Scott	5	Jackson	5½
Lawn Beauty	5½	Cyclone	5

Because settings will vary due to age, model, condition of spreader and rate of walk, it is best to make a trial run over a 100 sq. ft. area first. Slight spreader adjustment may be necessary to apply 1 lb. per 100 sq. ft.

Country Squire Pre-Emerge Crabgrass Killer may be used to control annual weeds around established shrubs and ornamentals. DO NOT use around Bugleweed, Button Pink, Carnation, Geum, Germander, Resembryanthemum, Pansy, Phlox, Sweet William, Telanthera and Violet. Water lightly after application.

CAUTION

Do not take internally. Avoid contact with eyes. Wash after handling and using. Do not contaminate feed or foodstuffs. Do not store near seeds, fertilizers or other pesticides.