

NET WEIGHT 5 POUNDS
TREATS 1000 SQ. FT.

\$2.95



PRE-EMERGE

**CRABGRASS
SEEDLING KILLER**

CRABGRASS SEEDLING KILLER

**CONTAINS
DACTHAL®**

ACTIVE INGREDIENT:
Dimethyl ester of tetrachloroterephthalic acid*

4.6%
95.4%

INERT INGREDIENTS:

TOTAL

100.0%

*DIAMOND SHAMROCK COMPANY-DACTHAL is a pre-emergence
herbicide patented under U. S. Patent No. 2,934,344
U. S. D. A. Reg. No. 961-228


CAUTION

KEEP OUT OF REACH OF CHILDREN

For additional cautions see back panel

- **95-100% EFFECTIVE CRABGRASS CONTROL**
- **KILLS CRABGRASS AS IT SPROUTS**
- **CLEAN-ODORLESS-FREE FLOWING**

NET WEIGHT 5 POUNDS



CRABGRASS SEEDLING KILLER

KEEP YOUR LAWN GREEN all year by killing crabgrass before it grows. No more brown spots in fall when crabgrass dies.

CRABGRASS SEEDLING KILLER IS A PRE-EMERGENCE herbicide and therefore must be applied in spring prior to the germination of crabgrass seed. Also effective for such annual weeds as Carpetweed, Chickweed, Foxtail, Johnson grass, Lambsquarters, Purslane and Witchgrass.

SPREADER SETTINGS

Lawn Beauty	7	Jackson	8
Modern	8	Sears	8
Central	6	Scott	7

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to 1/2 lb. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

DIRECTIONS

FOR ESTABLISHED LAWNS

With a calibrated spreader, apply evenly at rate of 5 lbs. per 1000 sq. ft. Reseeding should be delayed until 60 days after application.

CRABGRASS SEEDLING KILLER

Widgrass.

SPREADER SETTING?

Lawn Beauty	7	Jackson	8
Modern	8	Sears	8
Central	6	Scott	7

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to 1/2 lb. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

DIRECTIONS

FOR ESTABLISHED LAWNS

With a calibrated spreader, apply evenly at rate of 5 lbs. per 1000 sq. ft. Reseeding should be delayed until 60 days after application. **CRABGRASS SEEDLING KILLER** is ideal around transplanted ornamentals and established shrubbery to control sprouting of annual weeds. DO NOT use on the following plants: Bugleweed, Button Pink, Carnation, Gaura, Germander, Meechbryanthemum, Pansy, Phlox, Sweet Williams, Telandra, and Violet. Treated area should be lightly watered after application, if no rain falls within one week.

FOR NEW LAWNS

DO NOT APPLY TO NEWLY SEEDD LAWNS UNTIL AFTER LAWN IS COMPLETELY GREEN. CRABGRASS ALREADY GERMINATED WILL NOT BE CONTROLLED.

TO CONTROL ANNUAL BLUEGRASS AND CHICKWEED

And other erratic or late germinating grasses, a late summer or early fall application of 8 pounds per-1000 sq. ft. should supplement the early spring application.

CAUTION

CRABGRASS KILLER should not be applied to newly seeded lawns until greening appears. Do not use on Dichandra lawns. Do not contaminate feed or foodstuffs or store near seeds, fertilizers or other pesticides. Do not take internally. Avoid contact with eyes. Wash after handling and using.

WARRANTY

Lebanon Chemical Corporation, the manufacturer, warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

LEBANON CHEMICAL CORPORATION

LEBANON, PA. 17042