

NET WT. 22 LBS.

TREATS: 5000 SQ. FT. NEW SEEDING
2500 SQ. FT. ESTABLISHED LAWNS

LEBANON
CRABGRASS KILLER
AND
LAWN FERTILIZER 10-6-4

GUARANTEED MINIMUM FERTILIZER ANALYSIS

TOTAL NITROGEN (N)	10.0%
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.0%
SOLUBLE POTASH (K ₂ O)	4.0%

Potential Acidity 650 lbs. Calcium Carbonate per ton.

Manufactured By
LEBANON CHEMICAL CORPORATION
LEBANON, PA. 17042

LEBANON CRABGRASS KILLER and LAWN FERTILIZER can be used on newly seeded areas as well as established lawns without injury to germinating seeds of Bluegrass, Fescue, and Penncross, Seaside, Highland and Astoria bentgrass. Some bentgrass strains and bermudagrass may be injured.

SPREADER SETTINGS

	NEW SEEDING	ESTABLISHED LAWNS
JACKSON	5½	7
SEARS	5½	7
SCOTT	4½	6½
LAWN BEAUTY	4	6
CENTRAL	3½	5

areas as well as established lawns without injury to germinating seeds of bluegrass, Fescue, and Penncross, Seaside, Highland and Astoria bentgrass. Some bentgrass strains and bermudagrass may be injured.

SPREADER SETTINGS

	NEW SEEDING	ESTABLISHED LAWNS
JACKSON	5½	7
SEARS	5½	7
SCOTT	4½	6½
LAWN BEAUTY	4	6
CENTRAL	3½	5
MODERN	4	6

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 7 oz. (new seeding) or 14 oz. (established lawns) per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

DIRECTIONS

NEW SEEDING

Apply after seeding, 4 lb. 6 oz. per 1000 sq. ft. and water with at least ½ inch of water to germinate lawn seed quickly and carry the chemical into the root zone of germinating weeds.

ESTABLISHED LAWNS

Apply April or May at rate of 8 lb. 12 oz. per 1000 sq. ft. and water with at least ½ inch of water to carry the chemical into the root zone of germinating weeds. This product can be applied anytime in spring up to just before expected emergence of crabgrass. For best results apply just before expected emergence of crabgrass.

CAUTION

Avoid breathing dust. May irritate eyes, nose and throat. Avoid contact with skin, eyes and clothing. Store away from children and domestic animals. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling.

WARRANTY

Lebanon Chemical Corporation, the manufacturer, warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

LEBANON TUPERSAN*

PRE-EMERGENCE

CRABGRASS KILLER

SPREADER SETTINGS

	NEW SEEDING	ESTABLISHED LAWN
JACKSON	6½	7½
SEARS	6½	7½
SCOTT	6	7½
LAWN BEAUTY	5	4½
CENTRAL	4	6
MODERN	4	6

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 3¼ oz. (new seeding) or 6½ oz. (established lawns) per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

LEBANON TUPERSAN CRABGRASS KILLER can be used on newly seeded areas as well as established lawns without injury to germinating seeds of Bluegrass, Fescue and Penncross, Seaside, Highland and Astoria bentgrass. Some bentgrass strains and bermudagrass may be injured.


DIRECTIONS

NEW SEEDING

Apply after seeding, 2 lbs. per 1000 sq. ft. and water with at least ½ inch of water to germinate lawn seed quickly and carry the chemical into the root zone of germinating weeds.

ESTABLISHED LAWNS

Apply April or May at rate of 4 lbs. per 1000 sq. ft. and water with at least ½ inch of water to carry the chemical into the root zone of germinating weeds. This product



TUPERSAN CRABGRASS

minating weeds.

ESTABLISHED LAWNS

Apply April or May at rate of 4 lbs. per 1000 sq. ft. and water with at least ½ inch of water to carry the chemical into the root zone of germinating weeds. This product can be applied anytime in spring up to just before expected emergence of crabgrass. For best results apply just before expected emergence of crabgrass.

CAUTION

Avoid breathing dust. May irritate eyes, nose and throat. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling.

Do not reuse container. Destroy when empty.

WARRANTY

Lebanon Chemical Corporation warrants that the product is as described on the label and is reasonably fit for the uses stated thereon. It is sold as a weed killer under the conditions of use stated on the label. It is not a guarantee of performance. No refund or purchase price adjustment will be made under any circumstances. The user assumes all liability for any damage or injury to persons or property, or under any other conditions, or under any other conditions, or under any other conditions.

Manufactured By

LEBANON CHEMICAL CORPORATION

LEBANON, PA. 17042

ERSAN*
ASS KILLER

1/2 inch
product
grass.

skin,
after

CRABGRASS KILLER SIDURON*

PRE-EMERGENCE CRABGRASS KILLER


For Pre-emergence Crabgrass Control on Newly Seeded Areas
as well as Established Lawns.

ACTIVE INGREDIENT:	
Siduron [1-(2-Methylcyclohexyl)-3-phenylurea].....	5.75%
INERT INGREDIENTS:	94.25%
TOTAL	100.00%

E.P.A. Reg. No. 961-235

CAUTION: KEEP OUT OF REACH OF CHILDREN (SEE BACK PANEL FOR ADDITIONAL CAUTIONS)

*Registered trademark of E. I. DuPont De Nemours Co. (Inc.) for SIDURON WEED KILLER



64-4893

LEBANON CHEMICAL CORPORATION
LEBANON, PA. 17042

ACCEPTED WITH