

NET WT 50 LBS

CONTAINS

GOOD WEEDS KEEPER

10-6-4 WITH WEED KILLER

2, 4-D AND SILVEX

NO UNDER NO POISON REGISTER

FERTILIZER

GREENSKEEPER 10-6-4 WITH WEED KILLER 2,4-D AND SILVEX

ACCEPTED

GUARANTEED MINIMUM FERTILIZER ANALYSIS

TOTAL NITROGEN (N)	10.0%
<small>(15% WATER REDUCED NITROGEN)</small>	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.0%
SOLUBLE POTASH (K ₂ O)	4.0%
<small>Potential Acidity 400 lbs. Calcium Carbonate per ton.</small>	

Manufactured By
LEBANON CHEMICAL CORPORATION
LEBANON, PA. 17042

FOR ALL VARIOUS WEEDS

The 10-6-4 fertilizer stimulates grass growth to quickly conceal spots where weeds have died. Grows rich green grass and kills weeds at the same time.

EFFECTIVE BROADLEAF WEED CONTROL

Dandelion, plantain, buckhorn, chicory, herbbit, knotweed, morning glory, creeping jenny, Shepherd's purse, wild carrot, yarrow and annual chickweed.

SPREADER SETTINGS

LAWN BEAUTY	4.5	JACKSON	6
MODERN	6	SEARS	6
CYCLONE	4.6	SCOTT	5

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 1 lb. per 100 sq. ft. Rate of water moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

When applying with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

DIRECTIONS

GREENSKEEPER 10-6-4 WITH WEED KILLER can be applied anytime weeds are in active growth. Summer applications may require watering area with one inch of water 24 hours before application to insure adequate soil moisture for effective weed control. No additional water is necessary after application should to be made with the spreader.

TOTAL NITROGEN 10%
 AVAILABLE PHOSPHORUS 4.0%
 SOLUBLE POTASH 4.0%
 Potential Acidity 400 lbs. Calcium Carbonate per ton.

Manufactured By
LEBANON CHEMICAL CORPORATION
 LEBANON, PA. 17042

FOR ALL UNIFORM WEED CONTROL

The 10-6-4 fertilizer stimulates grass growth to quickly cover up spots where weeds have died. Grows rich green grass and kills weeds at the same time.

EFFECTIVE BROADLEAF WEED CONTROL

Dandelion, plantain, buckhorn, chicory, herb, knotweed, morning glory, creeping jenny, Shepherd's purse, wild carrot, yarrow and annual chickweed.

SPREADER SETTINGS

LAWN BEAUTY 4.5	JACKSON 6
MODERN 6	SEARS 6
CYCLONE 4.6	SCOTT 5

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 1 lb. per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

When applied with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

DIRECTIONS

GREENS FEEVER 10-6-4 WITH WEED KILLER can be applied anytime weeds are in active growth. Summer application to lawns and watered area with one watering within 24 hours. Apply at rate of 1 lb. per 100 sq. ft. for effective weed control. Fertilizer stimulates growth of grass after application.

Apply 10 lb. per 1000 sq. ft. (425 lbs. per acre) on established lawn or turf. New lawns should be treated similar after second mowing.

CAUTION

Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Vapors from this product may injure susceptible plants in the immediate vicinity. Ben grass, St. Augustine grass, Dichondra, Carpetgrass or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables. Thoroughly clean spreader. Do not store near fertilizer, seeds, or other flammable materials. Do not reuse container. Destroy when empty.

WARRANTY

Lebanon Chemical Corporation warrants that the product conforms to the chemical description and analysis given on the label. Use as stated on the label. No warranty is made for other uses. Lebanon Chemical Corporation is not responsible for any damage to property or persons resulting from the use of this product.

weeds have died. Grows rich green grass and kills weeds at the same time.

EFFECTIVE BROADLEAF WEED CONTROL

Dandelion, plantain, buckhorn, chicory, herbbit, knotweed, morning glory, creeping jenny, Shepherd's purse, wild carrot, yarrow and annual chickweed.

SPREADER SETTINGS

LAWN BEAUTY 4%	JACKSON 6
MODERN 6	SEARS 6
CYCLONE 4.6	SCOTT 5

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 1 lb. per 100 sq. ft. Rate of water moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

When applying with a backpack type sprayer, use extreme caution not to apply too close to desirable plants.

DIRECTIONS

GREENSHEETER FOR LAWNS WITH WEEDS: Kill broadleaved weeds are in active growth. Summer application may require watering area with one inch of water 24 hours before application to insure adequate soil moisture for effective weed control. An additional inch of water 3 hours after application stimulates growth of grass.

Apply 10 lbs. per 1000 sq. ft. (435 lbs. per acre) on established lawns or turf. New lawns should not be treated until after second cutting.

CAUTION

Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Vapors from this product may injure susceptible plants in the immediate vicinity. Bentgrass, St. Augustine grass, Dichondra, Carpetgrass, or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables. Thoroughly clean spreader. Do not store near fertilizer, seeds, insecticides and fungicides. Do not reuse container. Destroy when empty.

WARRANTY

Lebanon Chemical Corporation, manufacturer, warrants that this product conforms to its chemical description and is reasonably fit for the use stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.