
NET WT. 50 LBS. **COVERS 5,000 SQ. FT.**



10-6-4 WITH WEED KILLER ACCEPTED 10/22/69 2,4-D AND SILVEX 961-249

UNDER THE FEDERAL INSECTICIDE







MANUFACTURED EXCLUSIVELY FOR GOLF COURSES

U.S.D.A. Reg. No. 961 249

TOTAL _____ 100 000%

propionic acid) INERT INGREDIENTS

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid _____0.346% Equivalent to 0 288% 2,4 - dichlorophenoxyacetic acid Isooctylester of Silvex (2-(2,4,5-trichlorophenoxy) propionic acid) _____0.410% Equivalent to 0.288% Silvex (2-(2,4,5 trichlorophenoxy)

ACTIVE INGREDIENTS:

LEBANON CHEMICAL CORPORATION LEBANON, PA. 17042

CAUTION: KEEP OUT OF REACH OF CHILDREN (SEE BACK PANEL FOR ADDITIONAL CAUTIONS)

AVAILABLE PHOSPHORIC ACID (P2Os) _____ SOLUBLE POTASH (K₂O)

Potential Acidity 400 lbs. Calcium Carbonate per ton.

Manufactured By LEBANON CHEMICAL CORPORATION **LEBANON, PA. 17042**

FOR A LUXURIOUS, WEED FREE Law

The 10-6-4 fertilizer stimulates grass growth to quickly conceal spots where weeds have died. Grows rich green grass and kills weeds at the same time.

SFFECTIVE BROADLEAF WEED CONTROL

Dandelion, plantain, buckhorn, chicory, henbit, knotweed, morning glory, creeping jenny, Shepherd's purse, wild carrot, yarrow and annual chickweed.

SPREADER SETTINGS

 _6.0%
 4.0%

.

LEBANON, PA. 17042

FOR A LUXURIOUS, WEED FREE LAW

The 10-6-4 fertilizer stimulates grass growth to quickly conceal spots where weeds have died. Grows rich green grass and kills weeds at the same time.

FFECTIVE BROADLEAF WEED CONTROL

Dandelion, plantain, buckhorn, chicory, henbit, knotweed, morning glory, creeping jenny, Shepherd's purse, wild carrol, yarrow and annual chickweed.

SPREADER SETTINGS

LAWN BEAUTY	JACKSON 6
MODERN	SEARS6
CYCLONE	SCOTT

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust 10 apply only 11b. per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

When applying with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

DIRECTIONS

GREENSKEEPER 10-6-4 WITH WEED KILLER can be applied anytime weeds are in active growth. Summer applications may require watering area with one inch of water 24 hours before application to assure adequate soil moisture for effective weed control. An additional inch of water 48 hours after application stimulates growth of grass.

Apply 10 lbs. per 1000 sq. ft. (435 lbs. per acre) on established lawns or turf. New lawns should not be treated until after second cutting.

CAUTION

Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Vapors from this product may injure susceptible plants in the immediate vicinity. Bentgrass, St. Augustine grass, Dichondra, Carpetgrass, or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables. Thoroughly clean spreader. Do not store near fertilizer, seeds, insecticides and fungicides. Do not reuse container. Destroy when empty.

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 11b, per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

When applying with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

DIRECTIONS

GREENSKEEPER 10-6-4 WITH WEED KILLER can be applied anytime weeds are in active growth. Summer applications may require watering area with one inch of water 24 hours before application to assure adequate soil moisture for effective weed control. An additional inch of water 48 hours after application stimulates growth of grass.

Apply 10 lbs. per 1000 sq. ft. (435 lbs. per acre) on established lawns or turf. New lawns should not be treated until after second cutting.

CAUTION

Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Vapors from this product may injure susceptible plants in the immediate vicinity. Bentgrass, St. Augustine grass, Dichondra, Carpetgrass, or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables. Thoroughly clean spreader. Do not store near fertilizer, seeds, insecticides and fungicides. Do not reuse container. Destroy when empty.

WARRANTY

Lebanon Chemical Corporation the manufacturer, warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.