


CERTIFICATION OF COMPLIANCE

I, being an authorized representative of Lebanon Chemical Corporation, certify that all containers of Lebanon Weed & Feed 10-6-4 with 2,4-D and MCP, EPA Reg. No. 961-263, produced by 15 June 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by 1 January 1995 will be revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

For: Lebanon Chemical Corporation

By: Henry E. Rohland
Henry E. Rohland
EPA Registration Manager

Date: 1/29/93



Net Weight: 20 Lbs. (9.07 Kg)
Treats: 5,000 Sq. Ft.

LEBANON WEED AND FEED
10-6-4 with 2,4-D and MCPP

CONTROLS

Buckhorn, Dandelion, Chickweed, Clover, Ground Ivy, Knotweed,
Plantain and Other Broadleaf Weeds

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid*...	0.868%
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid**.....	0.868%
INERT INGREDIENTS.....	98.264%

TOTAL: 100.000%

* Equivalent to 0.72% 2,4-dichlorophenoxyacetic acid

** Equivalent to 0.72% 2-(2-methyl-4-chlorophenoxy) propionic acid

EPA Reg. No. 961-263

(L) (D)
EPA Est. 961-PA-01;961-IL-01
Superscript used is first letter of lot number.

MANUFACTURED BY:
Lebanon Chemical Corporation
Lebanon, PA 17042



Net Weight: 20 Lbs. (9.07 Kg)
Treats: 5,000 Sq. Ft.

LEBANON WEED AND FEED
10-6-4 with 2,4-D and MCPP

GUARANTEED ANALYSIS

Total Nitrogen (N).....	10%
7.5% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen	
1.0% Urea Nitrogen	
Available Phosphoric Acid (P2O5).....	6%
Soluble Potash (K2O).....	4%
Nutrient Sources: Urea, Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Methylene Ureas	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

C A U T I O N

Do not allow people (other than Applicator) or pets on treatment area during application. Do not enter treatment areas until sprays have dried or dusts have settled.

When using this product, wear a long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

E N V I R O N M E N T A L H A Z A R D S

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

FOR A LUXURIOUS, WEED-FREE LAWN

This product stimulates grass growth to quickly conceal spots where weeds have died. Kills weeds and grows health green grass in one application.

495

EFFECTIVE WEED CONTROL

Kills many common weeds, including Buckhorn, Dandelion, Chickweed, Clover, Ground Ivy, Knotweed, Plantain.

FOR ESTABLISHED LAWNS

Will not harm most lawn grasses. May caution some temporary browning particularly on Seaside, Arlington and Congressional bentgrasses. If browning is noted, water thoroughly to expedite recovery.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The best time to destroy weeds is when they are young and actively growing before they crowd out desirable grasses. Apply at the rate of 4 lbs. per 1,000 sq. ft. in Spring or early Fall, when ground moisture is adequate and weeds are actively growing. If used during dry period, water lawn thoroughly 24 hours prior to application. Apply when grass is wet from recent rain, dew or sprinkling to get most effective herbicide action. Clean spreader thoroughly after use.

For persistent weeds, when weeds reappear, or if a heavy rain occurs within 2 days after application, a second application may be necessary.

Apply to new lawns only after 2nd or 3rd mowing. Do not apply to very young grass or to predominantly bentgrass turf.

Do not mow, water or make heavy use of lawn for at least 24 hours after application.

Vapors from this product may injure susceptible plants in the immediate vicinity. Bentgrass, St. Augustine grass, Dichondra, Clover and Carpetgrass may be injured. Avoid drift to susceptible plants, as this product may injure flowers, ornamentals, and vegetables.

The maximum number of broadcast applications per treatment site is two per year.

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash materials from concrete surfaces because some fertilizers may contain iron which may cause discoloration upon oxidization.

SPREADER SETTINGS

Ortho	5	Glorion	6	Ortho Rotary	4
Show 'N Tell	5 1/2	MTD	2 3/4	Jet Spred	4
Scott	6	Sears	8	Cyclone	4
Central	6 1/4	Earthway	15	Scott Rotary	H

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 6 oz. per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount. When applying with a spinner-type spreader, use extreme caution to avoid any contact or application to desirable plants. -----

STORAGE AND DISPOSAL

STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash. -----

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under normal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.