

ACCEPTED
APR. 4 1988
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No. 961-280.

GREENVIEW
PREEN

The Flower and Garden Weed Preventer
Prevents Weeds Around Flowers, Roses,
Shrubs, Trees and Vegetables


ACTIVE INGREDIENT:

Trifluralin (a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine)	1.47%
INERT INGREDIENTS:	98.53%

EPA Reg. No. 961-280

CAUTION: Keep out of reach of children. See back of package for additional precautionary statements.

LEBANON CHEMICAL CORPORATION
LEBANON, PA 17042



GREENVIEW
PREEN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON LAWNS

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children and pets. Harmful if swallowed or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. In case of contact, wash hands with soap and water, flush eyes with running water and get medical attention if irritation persists; wash clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, or marshes). Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by cleaning of equipment or disposal of waste.

WHAT PREEN DOES: Preen prevents most weeds from germinating around listed flowers, roses, shrubs, trees and vegetables all season long without difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger and healthier.

PREEN IS RECOMMENDED FOR THESE ESTABLISHED FLOWERS:

Ageratum	Chrysanthemum	Marigold	Roses
Aster	Cosmos	Periwinkle	Snapdragon
California Poppy	Dahlia	Petunia	Sweet Alyssum
Carnation	Four O'Clock	Phlox	Zinnia

Achillea, Arctotis, Balsam, Calendula, Calliopsis, Centaurea, Dianthus, Dimorthea, Forget-me-not, Gaillardia, Gladiolus, (corns more than 1" in diameter), Hollyhock, Ixora, Lobelia, Lupinus, Morning Glory, Nasturtium, Nicotiana, Portulaca, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Stock, Snow on the Mountain, Sunflower, Sweet Pea, Sweet William.

PREEN IS RECOMMENDED FOR THESE ESTABLISHED SHRUBS: - -

American Arborvitae	Camellia	Holly	Privet
Azalea	Common Lilac	Juniper	Rhododendron
Barberry	Euonymus	Mountain Laurel	Viburnum
Boxwood	Forsythia	Pieris Japonica	Yew

American Cherry Laurel, Cinquefoil, Cotoneaster, Deutzia, Elaeagnus, Honeysuckle, India Hawthorn, Mock-Orange, Pineapple Guava, Pyracantha, Robira, Sakaki, Spiraea, Weigela Bristol Ruby, Willow.

PREEN IS RECOMMENDED FOR THESE ESTABLISHED TREES:

Apple	Canada Hemlock	Pine	Colorado Blue Spruce
Bald Cypress	Dogwood Flowering	Redbud	Tuliptree

Balsam Fir, Black Gum, Black Locust, Black Walnut, Chinese Chestnut, Cottonwood, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Stone-Fruits, Sycamore, Spruce, Sweetgum, White Ash.

PREEN IS RECOMMENDED FOR THESE ESTABLISHED ORNAMENTAL GROUND COVERS:

Crown Vetch	Ice Plant	Sedum	Verbena
California Ivy	Rock Rose	Strawberry	St.-Johns-Wort

Asparagus, Bellflower, Bunge, Ceanothus, Cotoneaster, Dwarf Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Algerian Ivy, Needlepoint Ivy, Big Blue Lilyturf, Marigold, Mascarene grass, Myoporum, Rosemary, Rose of Sharon, Snow-in-Summer, Speedwell, Thrift-Sea Pink, Tickseed, Trailing African Daisy, Wire Plant, Woolly Yarrow.

PREEN IS RECOMMENDED FOR THESE VEGETABLES AS DIRECTED:

From Seed - Carrots, Okra, southern Peas, (Cow Peas), Field Peas, Black-eyed Peas, Lima Beans, Snap Beans.

Before Transplanting - Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes.

After Transplanting - Irish Potatoes.

WHEN TO APPLY PREEN: Apply Preen as early as possible during the growing season to take advantage of the season-long weed control. Once weeds have begun their growth you must remove existing weeds and then apply Preen as directed during the growing season to your established flowers, roses, shrubs and trees. May be applied up to 10 weeks before planting direct seeded vegetables.

HOW TO APPLY PREEN: Since Preen doesn't kill weeds but prevents them you must apply Preen prior to germination of weed seeds or you must first remove existing weeds before applying Preen.

Established Plants - Flowers, roses, shrubs, trees and listed vegetables at least 2" - 3" tall. Sprinkle Preen evenly over the soil surface, using enough to match this picture. This surface application rate equals 1 oz. per 10 sq.ft.

Before Planting - Use only on 2" - 3" listed flower and vegetable transplants. Do not use with flower seeds. Sprinkle Preen on medium loam soil and rake in. Use enough to match this picture. This soil application rate equals 1 lb. per 960 sq.ft. For light soil apply 1 lb. per 1280 sq.ft. For heavy soil apply 1 lb. per 640 sq.ft. (One standard measuring cup, tightly packed, equals 1/4 pound of Preen). Preen is not recommended for use on muck soils.

HELPFUL TIPS FOR APPLYING PREEN:

- * Optimum weed control performance will be obtained if Preen is lightly watered-in within a few hours after application.
- * Use with transplants listed, but never use when planting seed except for the vegetables listed above. (May be used when plants from seed are 2" - 3" tall). Do not apply to any plants other than those listed. Preen may be applied annually and anytime during the growing season.
- * Rain does not wash Preen out of the soil.
- * Preen should not be used in enclosed areas such as greenhouses.
- * Should you have any questions write us at address below or call your county extension office.

Annual Weeds Controlled - Annual Bluegrass, Barnyardgrass, (watergrass), Brachiaria, Bromegrass, Carelessweed, Carpetweed, Cheat, Chickweed, Crabgrass, Florida Purslane, Foxtail, Goosefoot, Goosegrass, Johnsongrass, (from seed), Jungle Rice, Knotweed, Kochia, Lambsquarter, Pigweed, Purslane, Russian Thistle, Sandbur, Stinkgrass, Stinging Nettle, Sprangletop, Texas Panicum, Wild Cane.

Storage and Disposal

Storage: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse container. Discard container in trash.

The Manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.