

UNITED STATES ENVIRONALINEAF PROTECTION AGENCY WASHINGTON, D.C. 20460

> 0116107 - PRATINEON PENEROLS V D - 1056 SUBSEANCES

November 20, 2006

Henry E. Rohland Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

SUBJECT:	Applications for Pesticide Notification	
	PREEN® The Weed Preventer	EPA Reg. No. 961-280
	GREENVIEW® PREEN 'N Green	EPA Reg. No. 961-283
	CONFRONT® Plus Fertilizer	EPA Reg. No. 961-395
	PREEN® Garden Weed Preventer Plus Fertilizer	EPA Reg. No. 961-407
	Applications Dated October 25, 2006	_

Dear Mr. Rohland:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

\$EPA	Environmenta Wasi	United States <b>al Protectior</b> hington, DC 2046	· ·		Registr Amend Other		OPP Identifier Number	
	······	Application	n for Pestici	de - Section				
1. Company/Product Nu	961-283			Product Manager e Miller		3. Pr	oposed Classification	
4. Company/Product (Name) Greenview Preen 'N Green			PM#	PM# 23				
5. Name and Address of	f Applicant <i>(Include ZIP C</i>	Code)	6. Exp	edited Reveiw	. In accord	ance with	FIFRA Section 3(c)(3)	
Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042			(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No					
Check if	this is a new address		Produ	ct Name				
······································			Section - I		<b>.</b>			
Amendment - Explain below. Resubmission in response to Agency letter dated			Final printed labels in repsonse to Agency letter dated "Me Too" Application.			TIFICATION		
Notification - Exp	lain below.			Other - Explain I	elow.	.NC	IV <b>20</b> 2006	
PM 23 permission. This notification is consist labeling or the confidenti- to EPA. I further underst	stent with the provisions of al statement of formula of t	PR Notice 98-10 a this product. 1 und is not consistent w	nd EPA regulation erstand that it is a ith the terms of PR	s at 40 CFR 152.4 violation of 18 U.S Notice 98-10 and	6 and no othe .C. Sec. 100	er changes f 1 to willfuliy	aboard Corporation and penave been made to the make any false statement duct may be in violation of	
			Section - II		<u> </u>		,,,,,,,	
. Material This Product	Will Be Packaged In:				<u> </u>			
hild-Resistant Packagin Ves No Certification must	Yes No	No. per	Water Soluble Pa Yes No If "Yes" Package wgt	No. per container	2. Туре of	Container Metal Plastic Glass Paper Other (S		
be submitted		. container	Lackaĝa mâr				pecity)	
		4 61 4 1 0 4 1			ocation of La	bel Directio		
Label	Container	4. Size(s) Retail		<u></u>		·	nş	
Label	Container	4. Size(s) Ketali		0ther			ns	
Label	Container			Other			ns	
Label	Container	Lithogram Paper gid Stenciled	Section - IV	Other	essery, to pr	ocess this		
Labei . Manner in Which Labe . Contact Point <i>(Compl</i>	Container I is Affixed to Product	for identification of	Section - IV	Other		·	application.)	
Label . Manner in Which Labe . Contact Point <i>(Compl</i> ame Henry E. Rohlar	Container el is Affixed to Product lete items directly below nd atements   have made or : any knowlinglly false or	for identification of Certification and all	Section - IV of individual to be the EPA Reg on attachments the	Contacted, if ner	urate and col	Telephone		
. Contact Point <i> Compl</i> ame Henry E. Rohlau I certify that the st	Container el is Affixed to Product lete items directly below nd atements   have made or : any knowlinglly false or	for identification of this form and all misleading states	Section - IV of individual to be tle EPA Reg on attachments the ment may be puni Title	Contacted, if ner	er urate and col imprisonmen	Telephone	spplication.) No. (Include Area Code) 6. Date Application Received	

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.



## LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET . LEBANON, PENNSYLVANIA 17042

(717) 273-1685 FAX (717) 273-9466

3/0

25 October 2006

Document Processing Desk (NOTIF) Office of Pesticide Program (7504P) U. S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 NOTIFICATION NOV 2 0 2005

ATTN: Joanne Miller (Team 23)

Re: Notification Regarding EPA Registration 961-283, Greenview PREEN 'N Green

Dear Joanne:

Per our previous discussions, Lebanon has three US EPA Registered products for Trifluralin, 961-280, PREEN The Weed Preventer, 961-283, Greenview PREEN 'N Green and 961-407, PREEN Garden Weed Preventer Plus Fertilizer with an exclusion on page 4 of the EPA labels under, "For Use on Vegetables," that states: " After Planting: Potatoes (except Maine) - May be applied...." Both you and Eugene have received several inquiries as to why the exclusion appears on the label just for Maine. Our research shows the exception was submitted to EPA as an amendment on two of the labels in 1993. It appears on the 961-407 label as a copy over from the older labels. Conversation with you indicates there are no food tolerance restrictions or other federal reason for the exception since it can be used on potatoes elsewhere in the country. Therefore, the conclusion is that for an unknown reason, Maine and Lebanon agreed to the restriction back in 1993. The Lebanon product manager in 1993 does not know why or how the exception originated. It appears to have been a business decision between Maine and Lebanon that is no longer valid. Therefore, Lebanon respectfully requests the attached Notification be accepted.

We appreciate your consideration and thank you for your understanding.

Sincerel

Henry E. Rohland EPA Registration Manager

# **GREENVIEW® PREEN 'N GREEN®** <sup>4</sup>



# FOR HOMEOWNER USE ONLY NOT FOR USE ON LAWNS

# NOTIFICATION

NOV 2 0 2006

ACTIVE INGREDIENT:	
Trifluralin	0.74%
OTHER INGREDIENTS:	<u>99.26%</u>
TOTAL	100.00%

(L) (D) EPA Est. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

## **GUARANTEED FERTILIZER ANALYSIS**

EPA Reg. No. 961-283 CAS No.1582-09-8

Total Nitrogen (N)	10%
9.0% Ammoniacal Nitrogen	
Available Phosphate (P2O3)	18%
Soluble Potash (K <sub>2</sub> O)	9%
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash.	
Chlorine (CI) not more than	8.0%
	F699

MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 1-800-233-1067 www.preen.com

NET WEIGHT: XX LBS. (X.XX kg) WEEDS X,XXX SQ. FT.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

Page 1 of 5 Pages Lebanon Seaboard Corporation 961-283 NOTIFICATION - CHANGES SHOWN - 10/24/06

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### User Safety Recommendations:

- . Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- . Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

## **FIRST AID**

- IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - · Call a poison control center or doctor for treatment advice.
- IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.
- IF ON SKIN Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.
- IF INHALED: Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
  - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

## **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

DISPOSAL: If empty: (Plastic Containers) Do not refill the canister with anything but Preen'n Green. Place container in trash or offer for recycling if available. (Paper or Poly Containers) Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **GENERAL INFORMATION**

Preen 'n Green is a two-way product that feeds with a high quality plant food and at the same time prevents most weeds from germinating in flower and vegetable gardens, in ground covers and around trees and shrubs. Although Preen 'n Green will not kill existing weeds, it will prevent new weeds from sprouting - eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

#### **GENERAL PRECAUTIONS AND RESTRICTIONS**

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Page 2 of 5 Pages Lebanon Seaboard Corporation 961-283 NOTIFICATION - CHANGES SHOWN - 10/24/06 Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen 'n Green to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to Preen 'n Green. Do not use with crops other than those listed on this label. This product is not for use on lawns, nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

#### **ENTRY RESTRICTIONS**

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

#### ANNUAL WEEDS CONTROLLED

**Grassy weeds**: Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass: Southwestern, Woolly; Fescue, Rattail; Foxtail; Guineagrass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass. Also controls these **broadleaf weeds**: Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

#### PREEN 'N GREEN IS RECOMMENDED FOR USE AROUND THESE ESTABLISHED PLANTS

**Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses --** Aaronsbeard; Alyssum; Arctotis; Aster (perennial); Aster, Stoke's; Baby's breath; Balsam; Beard tongue; Bee balm; Begonia; Bellflower; Black-eyed susan; Bleeding heart; Bunge; Calendula; Calliopsis; Cape weed; Carex, Variegated; Carnation; Carpet bugle (*Ajuga*); Ceanothus; Centaurea, Velvet; Chrysanthemum; Coneflower, Purple; Coral bells; Coreopsis; Cornflower, Purple; Cosmos; Cotoneaster; Coyote bush, Dwarf; Crown vetch; Daffodil; Dahlia; Daisy: African, Painted, Shasta, Trailing African; Daylily; Descampsia; Dianthus; Dusty miller; Fern, Asparagus; Fescue, Blue; Floss flower (*Ageratum*); Forget-me-not; Four o'clock; Foxglove; Gaillardia; Gayfeather; Gazania; Geranium; Germander; Geum; Gladiolus (corms more than 1" in diameter); Golden glow; Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia; Guara; Hakonechloa, Golden; Hollyhock; Hosta, Albo-marginata; Hyacinth; Ice plant: Largeleaf, Trailing, Trailing rosea, White; Impatiens; Iris, Bulbous; Ivy: Algerian, California, English, Needlepoint; Ixora; Jasmine: Angelwing, Asaian; Lamb's ears; Lavander, English; Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White; Lily-of-the-nile; Lobelia; Lupine (*Lupinus*); Marigold; Marigold, Cape (*Dimorphotheca*); Morningglory; Myoporum; Narcissus; Nasturtium; Nicotiana; Ozark sundrop; Periwinkle (*Vinca*); Peter Pan, Dwarf; Petunia; Phlox; Pincushion flower (*Scabiosa*); Plumbago, Dwarf; Poppy, California; Portulaca; Rockrose; Rose; Rosemary; *Rudbeckia*; Rupturewort; Sage, Russian; Salvia; Silver mound; Snapdragon; Snow-in-summer; Snow-on-the-mountain; Speedwell; Spurge, Japanese; St. John's wort; Statice; Stock; Stonecrop (*Sedum*); Strawberry, Beach; Sunflower; Sweet alyssum; Sweet pea; Sweet sultan; Sweet william; Thrift; Tickseed; Tulip; Verbena; Wire plant; Wirevine, Creeping; Yarrow (*Achillea*); Zinnia.

Shrubs -- Abelia: Edward Goucher, Glossy; Acacia: Abyssinica, Prostrate, Shoestring; Andromeda, Japanese; Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny; Azalea; Bamboo: Compacta-dwatt, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly: Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn; Bottlebrush: Lemon, Weeping: Bougainvillea: Barbara Karst. California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn; Boxwood: Common, Harlands, Japanese, Korean, Littleleaf; Broom: Hollandia-warminster, Lena-Scotch; Camellia: Japanese, Sasangua; Cassia, Feathery; Century plant; Cherry: Carolina laurel, Dwarf pink flowering almond; Cinquefoil; Clevera, Japanese; Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel; Coyotebush; Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa; Daphne, Fragrant; Deutzia; Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian; Elaeagnus; Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper; Fern: Tassel, Japanese painted: Firethorn (Pvracantha): Forsythia; Gardenia: August beauty, Mystery, Radican; Guava, Pineapple; Hawthorn, India; Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch; Hibiscus, Ross Estey; Holly; Honeysuckle: Cape, Trumpet; Hopseed bush; Ixora; Jessamine, Carolina; Juniper; Lantana; Laurel: American Cherry. Mountain; Leaf: Copper, Salal/Jemon; Leucothoe: Coast, Drooping; Lilac: Common, Chinese, Wild; Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine; Mahonia: Creeping, Leather leaf; Maple: Amur, Coral bark Japanese, Dwarf Japanese; Mock orange; Myrtle: Crape, Wax; Oleander: Hardy red, Ruby lace; Osmanthus, Fortunes; Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago; Photinia, Fraser's; Pieris Japonica; Pine, Mugo-mugho; Pittosporum; Green, Japanese, Wheeler's dwarf; Plumbago; Privet; Red Cedar, Eastern; Rhaphiolepis; Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme; Rhododendron; Robira; Rose; Rose, Ramanas; Rose of Sharon: Heart, Red bird, Woodbridge; Sakaki: Silverberry; Skimmia: Japanese, Reeve's; Smoke Tree: Royal purple, Coral beauty, Eichholz; Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte; Sumac, African; Summersweet; Sweetspire, Henry Garnet holly leaf; Viburnum; Weigela; Willow: Woadwaxen: Woodbine: Flowering, Serotina; Xylosma; Yew: Anglojap, Plum, Upright Japanese; Yewpine; Yucca.

Trees -- Ash: Shamel, White; Banana; Birch: European white, Paper, River; Blackgum; Bottle tree; Carob; Carrot wood; Cherry, Yoshino flowering; Coolibah tree; Cottonwood; Crabapple; Cypress: Arizona, Bald, Filicoides-femspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false; Dogwood: Cloud nine, Flowering, Kousa; Elm, Chinese; Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar; Ficus, Mini; Fir: Balsam, Douglas, White; Florida anise tree; Ginko-maidenhair tree; Hawthorn, Green; Hemlock: Canada, Eastern; Larch, Japanese; Linden; Locust: Black, Honey, Shademaster honey; Magnolia; Mahogany; Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering; Mesquite, Chilean; Mulberry, White; Oak: Bear, Live, Pin, Red, Scarlet, Willow; Olive: Black, Russian; Palm: Mexican fan, Parlor, Queen; Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore; Planetree, London; Podocarpus; Redbud, Eastern; Red Cedar, Eastern; Sequoia, Giant; Sourwood; Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White; Sweetgum, American; Sycamore: American, California; Tab, Yellow; Toyon; Tuliptree; Willow.

Page 3 of 5 Pages Lebanon Seaboard Corporation 961-283 NOTIFICATION - CHANGES SHOWN - 10/24/06 Nonbearing Fruit and Nut Trees and Plants-- Almond; Apple; Apricot; Avocado; Blackberry; Blueberry; Cherry: Sweet, Sour; Chestnut, Chinese; Currant; Dewberry; Elderberry; Fig; Filbert; Gooseberry; Grape: American, European; Grapefruit; Kiwi; Lemon; Loganberry; Macadamia nut; Nectarine; Olive; Orange; Peach; Pear; Pecan; Pistachio; Plum; Pomegranate; Prune; Raspberry; Tangelo; Tangerine; Walnut: Black, English.

#### WHEN TO APPLY PREEN 'N GREEN

Apply Preen 'n Green anytime during the growing season around established plants and transplants. **Preen 'n Green should not be used on flower seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Preen 'n Green may also be incorporated into the soil when seeding vegetables or applied after mulching beds. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen 'n Green as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. For optimum weed control and plant feeding, reapply Preen 'n Green 4 weeks after the first application. Subsequent applications may be made in 8 week intervals throughout the growing season on ornamental beds.


#### HOW TO APPLY PREEN 'N GREEN

To avoid plant injury, do not apply Preen 'n Green when foliage is wet. When plants are dry, sprinkle Preen 'n Green on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, Preen 'n Green forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

## APPLYING AROUND ESTABLISHED PLANTS AND TRANSPLANTS

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2-3 inches tall (see special section for use on vegetables): sprinkle Preen 'n Green evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Immediately water Preen 'n Green into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate Sprinkle Preen 'n Green as shown on soil surface.



## APPLYING PREEN 'N GREEN WITH MULCH

For best weed control, we recommend applying Preen 'n Green after spreading mulch on your flower and shrub beds. Sprinkle Preen 'n Green on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Immediately water Preen 'n Green into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

## FOR USE ON VEGETABLES

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen 'n Green into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 320 sq. ft. for heavy clay-type soils, at 1 lb. per 480 sq. ft. for medium loam soils, and at 1 lb. per 640 sq. ft. for light sandy soils.

BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes (except in Maine) - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

#### Perennial Vegetables:

Asparagus - Apply prior to spear emergence of established plants.

This container is constructed from 85% recycled box board. (For paper box board only)

#### PREEN 'N GREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

Page 4 of 5 Pages Lebanon Seaboard Corporation 961-283 NOTIFICATION - CHANGES SHOWN - 10/24/06

#### Advertising claims that may be presented on the label:

The Flower and Garden Weed Preventer Plus Fertilizer A Work • Saver Product For The Joy Of Weed-Free Gardens Prevents Weeds & Fertilizes in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs, Trees & Vegetables Ready To Use Granules with Built In Applicator (For plastic containers only) Refillable Preen 'n Green Canister (For plastic containers only) This WORK-SAVER product prevents weeds plus fertilizes in one easy application. Fertilizes to Provide Rich Color and Vigorous Growth American Rose Society Endorsed Effective Weed Control - Prevents weeds all season long - eliminates the need for hand weeding. Beneficial, High Quality Fertilizer - For abundant blooms, increased vields. strong root development and improved plant vigor. Easy To Apply - Just shake on. Apply any time throughout the growing season. Great over mulch. Stop weeds before they start! Prevents weeds up to three months Sprinkle around flowers, vegetables, trees, shrubs Apply anytime - spring, summer or fall XX% more than previous container (Percentage will vary by container size) Good Housekeeping Seal of Approval (Logo) Stop weeds before they start around flowers, vegetables, trees, shrubs EASY TO USE APPLICATOR

Additional Labeling Requirements:

Fertilizer labeling requirement for products distributed in the state of Washington: Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

> Page 5 of 5 Pages Lebanon Seaboard Corporation 961-283 NOTIFICATION - CHANGES SHOWN - 10/24/06